

# **COMMONWEALTH OF VIRGINIA**

## **DEPARTMENT OF HEALTH**



## **DIVISION OF HIV/STD SURVEILLANCE QUARTERLY**

September 30, 2003

THIRD QUARTER, 2003

Volume 11, Number 4

# **DIVISION OF HIV/STD SURVEILLANCE QUARTERLY**

Virginia Cases Reported Through September 30, 2003

Third Quarter, 2003

Volume 11, Number 4

*Citation:* Division of HIV/STD, Virginia Department of Health. *Division of HIV/STD Surveillance Quarterly*, September 30, 2003.

*To minimize printing and mailing costs, recipients requiring multiple copies may reproduce the entire document.*

## **Contents**

### **Tables:**

1.	HIV and AIDS Cumulative Case Summary.....	1
2.	HIV Infection (HIV and AIDS Unduplicated) Summary.....	2
3.	HIV Infection (HIV and AIDS Unduplicated) Living Case Summary .....	3
4.	Living HIV/AIDS.....	4
5.	HIV Infection (HIV and AIDS Unduplicated) by Transmission Risk .....	6
6.	HIV Infection (HIV and AIDS Unduplicated) by Year of Report .....	7
7.	HIV Infection (HIV and AIDS Unduplicated) by Year of Report – 5 Year Average.....	9
8.	United States: Cases and Rates of HIV Infection (not AIDS), by Persons' Area Of Residence and Age Category .....	11
9.	United States: AIDS Cases and Rates by Area of Residence .....	11
10.	Total Early Syphilis Cases by Year of Report .....	12
11.	Primary & Secondary Syphilis Cases by Health District – Five Year Average .....	15
12.	Total Early Syphilis Cases by Health District – Five Year Average .....	16
13.	United States: Primary & Secondary Syphilis Cases & Rates - Top Ten U.S. Cities - 2002...18	18
14.	United States: Primary & Secondary Syphilis Cases & Rates – Top Ten States - 2002 .....	18
15.	Gonorrhea Cases by Year of Report.....	19
16.	Gonorrhea Cases by Health District – Five Year Average.....	20

17.	United States: Gonorrhea Cases & Rates – Top Ten U.S. Cities - 2002 .....	24
18.	United States: Gonorrhea Cases & Rates – Top Ten States – 2002.....	24
19.	Chlamydia Cases by Year of Report.....	25
20.	Chlamydia Cases by Health District – Five Year Average.....	26
21.	United States: Chlamydia Cases & Rates – Top Ten U.S. Cities - 2002.....	30
22.	United States: Chlamydia Cases & Rates – Top Ten States - 2002.....	30
23.	State Funded HIV Testing.....	31
24.	State Funded HIV Testing and Counseling .....	32
25.	State Funded HIV Testing by Clinic & Specimen Type.....	32
26.	State Funded HIV Testing – Patients Being Tested for the First Time .....	32
27.	State Funded HIV Testing by Health District .....	33
28.	State Funded HIV Testing & Counseling by Clinic Type.....	34
29.	Chlamydia Screening Program by Clinic Type & Demographic Group .....	35
30.	Chlamydia Screening Program by Clinic Type & Health District.....	36
31.	Chlamydia Screening in Family Planning Clinics Among Females .....	37
32.	Chlamydia Screening in STD Clinics Among Females .....	38

## **Maps and Figures:**

A.	HIV Infection (HIV and AIDS Unduplicated) by Gender.....	7
B.	HIV Infection (HIV and AIDS Unduplicated) by Race/Ethnicity .....	7
C.	HIV Infection (HIV and AIDS Unduplicated) by Age Group.....	8
D.	HIV Infection (HIV and AIDS Unduplicated) by Health Region.....	8
E.	Map: HIV Infection (HIV and AIDS Unduplicated) by Health District .....	10
F.	Total Early Syphilis by Gender.....	13
G.	Total Early Syphilis by Race/Ethnicity .....	13
H.	Total Early Syphilis by Age Group.....	14
I.	Total Early Syphilis by Health Region.....	14
J.	Map: Total Early Syphilis by Health District .....	17
K.	Gonorrhea by Gender .....	21
L.	Gonorrhea by Race .....	21
M.	Gonorrhea by Age Group .....	22
N.	Gonorrhea by Health District.....	22

O.	Map: Gonorrhea by Health District .....	23
P.	Chlamydia by Gender .....	27
Q.	Chlamydia by Race.....	27
R.	Chlamydia by Age Group .....	28
S.	Chlamydia by Health District.....	28
T.	Map: Chlamydia by Health District.....	29
U.	HIV Testing by Clinic & Specimen Type .....	32
V.	HIV Testing Positivity by Clinic Type.....	34
W.	Chlamydia Screening in FP Clinics – Females by Race .....	37
X.	Chlamydia Screening in FP Clinics – Females by Age Group .....	37
Y.	Chlamydia Screening in STD Clinics – Females by Race .....	38
Z.	Chlamydia Screening in STD Clinics – Females by Age Group.....	38
	Technical Notes .....	39
	Directory of HIV/STD Programs.....	40
	HIV/STD Literature Request Form	

Division of HIV/STD web site: <http://www.vdh.virginia.gov/std>

**Virginia Department of Health**  
**Division of HIV/STD**  
**Quarterly Surveillance Report**  
**Data Reported through September 30, 2003**

Table 1. HIV and AIDS Cumulative Case Summary<sup>1</sup>

<b>Gender</b>	<b>HIV</b>		<b>AIDS</b>	
	<b>Cases</b>	<b>Percent</b>	<b>Cases</b>	<b>Percent</b>
Male	11,099	72.7	12,500	81.4
Female	4,178	27.3	2,849	18.6
<b>Total</b>	<b>15,277</b>	<b>100.0</b>	<b>15,349</b>	<b>100.0</b>
<b>Race/Ethnicity</b>				
White	4,485	29.4	6,239	40.6
Black	10,039	65.7	8,396	54.7
Hispanic	544	3.6	586	3.8
Asian/Pacific Islander	101	0.7	104	0.7
American Indian/Alaskan Native	12	0.1	14	0.1
Other/Not Reported	96	0.6	10	0.1
<b>Total</b>	<b>15,277</b>	<b>100.0</b>	<b>15,349</b>	<b>100.0</b>
<b>Age at Diagnosis</b> <sup>2</sup>				
0 - 12	142	0.9	176	1.1
13 - 19	521	3.4	80	0.5
20 - 29	4,975	32.6	2,595	16.9
30 - 39	5,962	39.0	6,825	44.5
40 - 49	2,780	18.2	4,090	26.6
50+	894	5.9	1,583	10.3
Not Reported	3	0.0	0	0.0
<b>Total</b>	<b>15,277</b>	<b>100.0</b>	<b>15,349</b>	<b>100.0</b>
<b>Transmission Risk</b>				
Men Having Sex with Men (MSM) <sup>3</sup>	5,485	35.9	7,466	48.6
Injecting Drug Use (IDU)	2,774	18.2	2,703	17.6
MSM & IDU	838	5.5	906	5.9
Hemophilia	72	0.5	107	0.7
Heterosexual Contact <sup>4</sup>	2,993	19.6	2,252	14.7
Transfusion Blood/Products <sup>5</sup>	120	0.8	269	1.8
Other:				
No Identified Risk (NIR)	880	5.8	478	3.1
Multiple Heterosexual Contacts <sup>6</sup>	609	4.0	259	1.7
Undetermined/Not Reported <sup>7</sup>	1,364	8.9	712	4.6
Adult/Adolescent Sub-Total	15,135	99.1	15,152	98.7
Pediatric <sup>8</sup>	142	0.9	197	1.3
<b>Total</b>	<b>15,277</b>	<b>100.0</b>	<b>15,349</b>	<b>100.0</b>
<b>Health Region</b>				
Northwest	811	5.3	1,068	7.0
Northern	3,500	22.9	4,616	30.1
Southwest	1,218	8.0	1,351	8.8
Central	3,950	25.9	3,515	22.9
Eastern	5,798	38.0	4,799	31.3
<b>Total</b>	<b>15,277</b>	<b>100.0</b>	<b>15,349</b>	<b>100.0</b>

**Virginia Department of Health**  
**Division of HIV/STD**  
**Quarterly Surveillance Report**  
**Data Reported through September 30, 2003**

Table 2. HIV Infection Summary (HIV and AIDS Unduplicated\*)

	<b>Unduplicated Count</b>	
<b>Gender</b>	<b>Cases</b>	<b>Percent</b>
Male	19,465	77.6
Female	5,606	22.4
<b>Total</b>	<b>25,071</b>	<b>100.0</b>
 <b>Race/Ethnicity</b>		
White	9,090	36.3
Black	14,702	58.6
Hispanic	981	3.9
Asian/Pacific Islander	171	0.7
American Indian/Alaskan Native	23	0.1
Not Reported	104	0.4
<b>Total</b>	<b>25,071</b>	<b>100.0</b>
 <b>Age at Diagnosis</b> <sup>2</sup>		
0 - 12	263	1.0
13 - 19	574	2.3
20 - 29	6,599	26.3
30 - 39	10,302	41.1
40 - 49	5,352	21.3
50+	1,978	7.9
Not Reported	3	0.0
<b>Total</b>	<b>25,071</b>	<b>100.0</b>
 <b>Transmission Risk</b>		
Men Having Sex with Men (MSM) <sup>3</sup>	10,784	43.0
Injecting Drug Use (IDU)	4,186	16.7
MSM & IDU	1,331	5.3
Hemophilia	134	0.5
Heterosexual Contact <sup>4</sup>	4,108	16.4
Transfusion Blood/Products <sup>5</sup>	335	1.3
Other:		
No Identified Risk (NIR)	1,219	4.9
Multiple Heterosexual Contacts <sup>6</sup>	754	3.0
Undetermined/Not Reported <sup>7</sup>	1,947	7.8
Adult/Adolescent Sub-Total	24,798	98.9
Pediatric <sup>8</sup>	273	1.1
<b>Total</b>	<b>25,071</b>	<b>100.0</b>
 <b>Health Region</b>		
Northwest	1,583	6.3
Northern	7,066	28.2
Southwest	2,059	8.2
Central	6,012	24.0
Eastern	8,351	33.3
<b>Total</b>	<b>25,071</b>	<b>100.0</b>

\* Virginia regulations require reporting of HIV and AIDS separately; therefore, an individual may be reported once as an HIV case and once as an AIDS case. This table presents the total number of people who have either HIV or AIDS. People reported as both an HIV case and an AIDS case are counted only once.

**Virginia Department of Health**  
**Division of HIV/STD**  
**Quarterly Surveillance Report**  
**Data Reported through September 30, 2003**

Table 3. HIV Infection Living Case Summary (HIV and AIDS Unduplicated)

<b>Gender</b>	<b>HIV</b>		<b>AIDS</b>		<b>Total</b>	
	<b>Cases</b>	<b>Percent</b>	<b>Cases</b>	<b>Percent</b>	<b>Cases</b>	<b>Percent</b>
Male	6,163	70.7	5,502	77.4	11,665	73.7
Female	2,550	29.3	1,609	22.6	4,159	26.3
<b>Total</b>	<b>8,713</b>	<b>100</b>	<b>7,111</b>	<b>100</b>	<b>15,824</b>	<b>100</b>
<b>Race/Ethnicity</b>						
White	2,520	28.9	2,497	35.1	5,017	31.7
Black	5,679	65.2	4,199	59.0	9,878	62.4
Hispanic	362	4.2	345	4.9	707	4.5
Asian/Pacific Islander	62	0.7	61	0.9	123	0.8
American Indian/Alaskan Native	8	0.1	3	0.0	11	0.1
Other/Not Reported	82	0.9	6	0.1	88	0.6
<b>Total</b>	<b>8,713</b>	<b>100</b>	<b>7,111</b>	<b>100</b>	<b>15,824</b>	<b>100</b>
<b>Current Age*</b>						
0 - 12	48	0.6	52	0.7	100	0.6
13 - 19	68	0.8	48	0.7	116	0.7
20 - 29	959	11.0	312	4.4	1,271	8.0
30 - 39	3,065	35.2	2,040	28.7	5,105	32.3
40 - 49	3,139	36.0	2,982	41.9	6,121	38.7
50+	1,433	16.4	1,677	23.6	3,110	19.7
Not Reported	1	0.0	0	0.0	1	0.0
<b>Total</b>	<b>8,713</b>	<b>100.0</b>	<b>7,111</b>	<b>100.0</b>	<b>15,824</b>	<b>100.0</b>
<b>Transmission Risk</b>						
Men Having Sex with Men (MSM) <sup>3</sup>	2,978	35.4	3,030	42.6	6,008	38.0
Injecting Drug Use (IDU)	1,218	18.0	1,192	16.8	2,410	15.2
MSM & IDU	330	4.6	379	5.3	709	4.5
Hemophilia	21	0.5	41	0.6	62	0.4
Heterosexual Contact <sup>4</sup>	1,765	19.3	1,327	18.7	3,092	19.5
Transfusion Blood/Products <sup>5</sup>	50	0.8	60	0.8	110	0.7
Other:						
No Identified Risk (NIR)	706	5.8	378	5.3	1,084	6.9
Multiple Heterosexual Contacts <sup>6</sup>	461	4.8	187	2.6	648	4.1
Undetermined/Not Reported <sup>7</sup>	1,113	9.9	410	5.8	1,523	9.6
Adult/Adolescent Sub-Total	8,642	99.1	7,004	98.5	15,646	98.9
Pediatric <sup>8</sup>	71	0.9	107	1.5	178	1.1
<b>Total</b>	<b>8,713</b>	<b>100.0</b>	<b>7,111</b>	<b>100.0</b>	<b>15,824</b>	<b>100.0</b>
<b>Health Region^</b>						
Northwest	500	5.4	536	7.0	1,036	7.0
Northern	2,229	22.6	2,165	29.8	4,394	29.8
Southwest	643	8.1	587	8.8	1,230	8.8
Central	2,283	25.7	1,596	22.9	3,879	22.9
Eastern	3,058	38.1	2,227	31.6	5,285	31.6
<b>Total</b>	<b>8,713</b>	<b>100.0</b>	<b>7,111</b>	<b>100.0</b>	<b>15,824</b>	<b>100.0</b>

\*Age is current age as of September 30, 2003

<sup>^</sup>Region represents the region of latest diagnosis

**Virginia Department of Health**  
**Division of HIV/STD**  
**Quarterly Surveillance Report**  
**Data Reported through September 30, 2003**

Table 4. Living HIV/AIDS

<b>Gender</b>	<b>Northwest</b>		<b>Northern</b>		<b>Southwest</b>		<b>Central</b>		<b>Eastern</b>		<b>Virginia</b>	
Male	763 73.6		3,327 75.7		885 72.0		2,869 74.0		3,821 72.3		11,665 73.7	
Female	273 26.4		1,067 24.3		345 28.0		1,010 26.0		1,464 27.7		4,159 26.3	
<b>Total</b>	1,036		4,394		1,230		3,879		5,285		15,824	
<b>Race/Ethnicity</b>												
White	509 49.1		1,719 39.1		586 47.6		860 22.2		1,343 25.4		5,017 31.7	
Black	478 46.1		2,164 49.2		614 49.9		2,907 74.9		3,715 70.3		9,878 62.4	
Hispanic	44 4.2		402 9.1		21 1.7		82 2.1		158 3.0		707 4.5	
Other/Not Reported <sup>9</sup>	5 0.5		109 2.5		9 0.7		30 0.8		69 1.3		222 1.4	
<b>Total</b>	1,036		4,394		1,230		3,879		5,285		15,824	
<b>Current Age*</b>												
0 - 12	8 0.8		11 0.3		15 1.2		27 0.7		39 0.7		100 0.6	
13 - 19	8 0.8		23 0.5		12 1.0		20 0.5		53 1.0		116 0.7	
+ 20 - 29	77 7.4		279 6.3		87 7.1		271 7.0		557 10.5		1,271 8.0	
30 - 39	324 31.3		1,382 31.5		406 33.0		1,203 31.0		1,790 33.9		5,105 32.3	
40 - 49	416 40.2		1,766 40.2		471 38.3		1,566 40.4		1,902 36.0		6,121 38.7	
50+	203 19.6		933 21.2		238 19.3		792 20.4		944 17.9		3,110 19.7	
Not Reported	0 0.0		0 0.0		1 0.1		0 0.0		0 0.0		1 0.0	
<b>Total</b>	1,036		4,394		1,230		3,879		5,285		15,824	
<b>Transmission Risk</b>												
MSM <sup>3</sup>	416 47.1		1,967 55.1		454 37.2		1,301 41.7		1,870 45.7		6,008 45.7	
IDU	178 20.4		596 17.3		163 13.9		724 24.2		749 18.9		2,410 18.9	
MSM/IDU	55 6.5		155 4.5		68 5.6		226 7.4		205 5.2		709 5.2	
Heterosexual Contact <sup>4</sup>	196 21.9		721 20.1		281 22.2		760 24.0		1,134 27.7		3,092 27.7	
Other Risks <sup>10</sup>	38 4.5		96 2.9		35 3.3		78 2.7		100 2.6		347 2.6	
Total with a Reported Risk	883 85.2		3,535 80.5		1,001 81.4		3,089 79.6		4,058 76.8		12,566 79.4	
Undetermined/Not Reported <sup>7</sup>	153 14.8		859 19.5		229 18.6		790 20.4		1227 23.2		3,258 20.6	
<b>Total</b>	1,036		4,394		1,230		3,879		5,285		15,824	

\*Age is current age as of September 30, 2003

**Virginia Department of Health**  
**Division of HIV/STD**  
**Quarterly Surveillance Report**  
**Data Reported through September 30, 2003**

Table 5. HIV Infection (HIV and AIDS Unduplicated) by Transmission Risk

**Adult/Adolescent**


Male		1999		2000		2001		2002		Jan. - Sept. 2003	
Risk		Cases	Percent	Cases	Percent	Cases	Percent	Cases	Percent	Cases	Percent
MSM <sup>3</sup>		511	62.0	469	65.7	530	65.9	489	68.9	317	74.8
IDU		137	16.6	93	13.0	120	14.9	86	12.1	29	6.8
MSM/IDU		51	6.2	44	6.2	39	4.9	25	3.5	9	2.1
Heterosexual Contact <sup>4</sup>		118	14.3	101	14.1	107	13.3	106	14.9	67	15.8
Other Risks <sup>10</sup>		7	0.8	7	1.0	8	1.0	4	0.6	2	0.5
Total with a											
Reported Risk		824	80.8	714	75.6	804	75.3	710	69.1	424	66.4
Undetermined/Not Reported <sup>7</sup>		196	19.2	231	24.4	264	24.7	317	30.9	215	33.6
<b>Total Male</b>		<b>1,020</b>		<b>945</b>		<b>1,068</b>		<b>1,027</b>		<b>639</b>	
<hr/>											
Female		1999		2000		2001		2002		Jan. - Sept. 2003	
Risk		Cases	Percent	Cases	Percent	Cases	Percent	Cases	Percent	Cases	Percent
IDU		56	20.4	48	21.5	52	21.2	36	17.0	18	15.4
Heterosexual Contact <sup>4</sup>		215	78.5	170	76.2	188	76.7	171	80.7	99	84.6
Other		3	1.1	5	2.2	5	2.0	5	2.4	0	0.0
Total with a											
Reported Risk		274	70.4	223	60.9	245	62.5	212	51.0	117	44.8
Undetermined/Not Reported <sup>7</sup>		115	29.6	143	39.1	147	37.5	204	49.0	144	55.2
<b>Total Female</b>		<b>389</b>		<b>366</b>		<b>392</b>		<b>416</b>		<b>261</b>	
<hr/>											
Total Adult/ Adolescent		1,409	99.5	1,311	99.5	1,460	99.5	1,443	99.7	900	99.7
Pediatric <sup>8</sup>		7	0.5	7	0.5	8	0.5	4	0.3	3	0.3
<b>Total</b>		<b>1,416</b>		<b>1,318</b>		<b>1,468</b>		<b>1,447</b>		<b>903</b>	

**Virginia Department of Health**  
**Division of HIV/STD**  
**Quarterly Surveillance Report**  
**Data Reported through September 30, 2003**


Table 6. HIV Infection (HIV and AIDS Unduplicated) by Year of Report

	Jan. - Sept.															
	Pre 1998		1998		1999		2000		2001		2002		2003		Total	
Gender	Cases	%	Cases	%	Cases	%	Cases	%	Cases	%	Cases	%	Cases	%	Cases	%
Male	13,745	80.1	1,007	73.9	1,023	72.2	948	71.9	1,072	73.0	1,029	71.1	641	71.0	19,465	77.6
Female	3412	19.9	355	26.1	393	27.8	370	28.1	396	27.0	418	28.9	262	29.0	5,606	22.4
<b>Total</b>	<b>17,157</b>		<b>1,362</b>		<b>1,416</b>		<b>1,318</b>		<b>1,468</b>		<b>1,447</b>		<b>903</b>		<b>25,071</b>	
<b>Race</b>																
White	6,810	39.7	396	29.1	392	27.7	381	28.9	428	29.2	439	30.3	244	27.0	9,090	36.3
Black	9,668	56.4	899	66.0	940	66.4	836	63.4	922	62.8	873	60.3	564	62.5	14,702	58.6
Hispanic	516	3.0	48	3.5	73	5.2	73	5.5	92	6.3	105	7.3	74	8.2	981	3.9
Asian/Pacific Islander	93	0.5	13	1.0	11	0.8	20	1.5	13	0.9	14	1.0	7	0.8	171	0.7
American Indian/Alaskan Native	17	0.1	1	0.1	0	0.0	0	0.0	1	0.1	3	0.2	1	0.1	23	0.1
Other/Not Reported	53	0.3	5	0.4	0	0.0	8	0.6	12	0.8	13	0.9	13	1.4	104	0.4
<b>Total</b>	<b>17,157</b>		<b>1,362</b>		<b>1,416</b>		<b>1,318</b>		<b>1,468</b>		<b>1,447</b>		<b>903</b>		<b>25,071</b>	
<b>Age at Diagnosis</b> <sup>2</sup>																
0 - 12	221	1.3	14	1.0	7	0.5	7	0.5	7	0.5	4	0.3	3	0.3	263	1.0
13 - 19	349	2.0	34	2.5	49	3.5	32	2.4	45	3.1	38	2.6	27	3.0	574	2.3
20 - 29	4847	28.3	292	21.4	308	21.8	301	22.8	316	21.5	324	22.4	211	23.4	6,599	26.3
30 - 39	7,206	42.0	571	41.9	571	40.3	548	41.6	535	36.4	531	36.7	340	37.7	10,302	41.1
40 - 49	3369	19.6	332	24.4	348	24.6	297	22.5	390	26.6	382	26.4	234	25.9	5,352	21.3
50 +	1164	6.8	119	8.7	133	9.4	132	10.0	174	11.9	168	11.6	88	9.7	1,978	7.9
Not Reported	1	0.0	0	0.0	0	0.0	1	0.1	1	0.1	0	0.0	0	0.0	3	0.0
<b>Total</b>	<b>17,157</b>		<b>1,362</b>		<b>1,416</b>		<b>1,318</b>		<b>1,468</b>		<b>1,447</b>		<b>903</b>		<b>25,071</b>	
<b>Transmission Risk</b>																
MSM <sup>3</sup>	7,965	46.4	503	36.9	511	36.1	469	35.6	530	36.1	489	33.8	317	35.1	10,784	43.0
IDU	3302	19.2	209	15.3	193	13.6	141	10.7	172	11.7	122	8.4	47	5.2	4,186	16.7
MSM/IDU	1100	6.4	63	4.6	51	3.6	44	3.3	39	2.7	25	1.7	9	1.0	1,331	5.3
Hemophilia	118	0.7	3	0.2	3	0.2	3	0.2	3	0.2	2	0.1	2	0.2	134	0.5
Heterosexual Contact <sup>4</sup>	2460	14.3	306	22.5	333	23.5	271	20.6	295	20.1	277	19.1	166	18.4	4,108	16.4
Transfusion <sup>5</sup>	293	1.7	9	0.7	7	0.5	9	0.7	10	0.7	7	0.5	0	0.0	335	1.3
Multiple Heterosexual Contacts <sup>6</sup>	542	3.2	42	3.1	48	3.4	46	3.5	45	3.1	20	1.4	11	1.2	754	3.0
Undetermined/Not Reported <sup>7</sup>	1147	6.7	213	15.6	263	18.6	328	24.9	366	24.9	501	34.6	348	38.5	3,166	12.6
Pediatric <sup>8</sup>	230	1.3	14	1.0	7	0.5	7	0.5	8	0.5	4	0.3	3	0.3	273	1.1
<b>Total</b>	<b>17,157</b>		<b>1,362</b>		<b>1,416</b>		<b>1,318</b>		<b>1,468</b>		<b>1,447</b>		<b>903</b>		<b>25,071</b>	
<b>Health Region</b>																
Northwest	1041	6.1	110	8.1	87	6.1	71	5.4	134	9.1	102	7.0	38	4.2	1,583	6.3
Northern	4655	27.1	325	23.9	405	28.6	413	31.3	448	30.5	526	36.4	294	32.6	7,066	28.2
Southwest	1488	8.7	98	7.2	110	7.8	103	7.8	108	7.4	91	6.3	61	6.8	2,059	8.2
Central	4142	24.1	366	26.9	374	26.4	261	19.8	283	19.3	341	23.6	245	27.1	6,012	24.0
Eastern	5831	34.0	463	34.0	440	31.1	470	35.7	495	33.7	387	26.7	265	29.3	8,351	33.3
<b>Total</b>	<b>17,157</b>		<b>1,362</b>		<b>1,416</b>		<b>1,318</b>		<b>1,468</b>		<b>1,447</b>		<b>903</b>		<b>25,071</b>	


**Figure A. HIV Infection (HIV and AIDS Unduplicated)  
by Gender and Year of Report**




**Figure B. HIV Infection (HIV and AIDS Unduplicated)  
by Race and Year of Report**



**Figure C. HIV Infection (HIV and AIDS Unduplicated)  
by Age Group and Year of Report**



**Figure D. HIV Infection (HIV and AIDS Unduplicated)  
by Region and Year of Report**




**Virginia Department of Health**  
**Division of HIV/STD**  
**Quarterly Surveillance Report**  
**Data Reported through September 30, 2003**

Table 7. HIV Infection (HIV and AIDS Unduplicated) by Year of Report - 5 Year Average<sup>13</sup>

	<b>Jan. - Sept. 1999</b>	<b>Jan. - Sept. 2000</b>	<b>Jan. - Sept. 2001</b>	<b>Jan. - Sept. 2002</b>	<b>Jan. - Sept. 2003</b>	<b>5 Year Average</b>
<b>Northwest Region</b>						
Central Shenandoah	11	9	16	5	7	9.6
Lord Fairfax	4	3	13	10	7	7.4
Rappahannock	17	19	16	20	8	16.0
Rappahannock/Rapidan	6	12	15	12	6	10.2
Thomas Jefferson	23	13	35	7	10	17.6
<b>Total</b>	61	56	95	54	38	60.8
<b>Northern Region</b>						
Alexandria	52	70	56	77	63	63.6
Arlington	45	68	90	67	71	68.2
Fairfax	120	73	125	176	116	122.0
Loudoun	12	9	6	17	11	11.0
Prince William	35	50	46	43	33	41.4
<b>Total</b>	264	270	323	380	294	306.2
<b>Southwest Region</b>						
Alleghany	7	5	5	3	6	5.2
Central Virginia	15	6	16	14	14	13.0
Cumberland Plateau	2	6	2	1	1	2.4
Lenowisco	3	2	2	2	2	2.2
Mount Rogers	6	7	4	6	8	6.2
New River	2	2	3	0	3	2.0
Pittsylvania/Danville	11	7	13	12	5	9.6
Roanoke	29	11	15	13	18	17.2
West Piedmont	9	8	1	4	4	5.2
<b>Total</b>	84	54	61	55	61	63.0
<b>Central Region</b>						
Chesterfield	26	10	18	24	29	21.4
Crater	63	26	34	56	45	44.8
Hanover	8	7	12	9	7	8.6
Henrico	33	22	23	17	36	26.2
Piedmont	21	10	12	16	10	13.8
Richmond	139	85	98	97	106	105.0
Southside	14	9	14	19	12	13.6
<b>Total</b>	304	169	211	238	245	233.4
<b>Eastern Region</b>						
Chesapeake	24	42	37	17	21	28.2
Eastern Shore	7	12	6	5	8	7.6
Hampton	18	22	43	23	19	25.0
Norfolk	73	114	100	91	82	92.0
Peninsula	42	45	70	43	43	48.6
Portsmouth	19	29	35	35	34	30.4
Three Rivers	8	13	13	11	11	11.2
Virginia Beach	51	50	42	53	37	46.6
Western Tidewater	8	15	14	17	10	12.8
<b>Total</b>	250	342	360	295	265	302.4
<b>Virginia Total</b>	963	891	1,050	1,022	903	965.8

**Figure E. HIV Infection  
(HIV and AIDS Unduplicated\*) by Health District  
Rate Per 100,000 Population  
Reported October 2002 - September 2003**



\*Equal to new HIV case reports plus new AIDS case reports that were not reported as HIV.

Population Estimate, July 1, 2002  
Source: Population Division, U.S. Census Bureau

**Virginia Department of Health**  
**Division of HIV/STD**  
**Quarterly Surveillance Report**  
**Data Reported through September 30, 2003**

**UNITED STATES DATA**

**Table 8. Cases and Rates of HIV Infection (not AIDS)\*, by Persons' Area of Residence and Age Category, Reported through December 2002, from Areas with Confidential Name-Based HIV Infection Reporting**

<b>Area of Residence (Date HIV reporting initiated)</b>	<b>2002</b>		<b>Cumulative through 2002</b>		
	<b>Cases</b>	<b>Rate</b>	<b>Adult/ Adolescents</b>	<b>Pediatric</b>	<b>Total</b>
1. New York (June 2000)	11,459	59.8	29,178	1,785	30,963
2. Florida (July 1997)	6,122	36.7	27,638	275	27,913
3. U.S. Virgin Islands (Dec. 1998)	37	29.9	222	6	228
4. Texas (Jan. 1999)	5,027	23.1	14,764	350	15,114
5. Louisiana (Feb. 1993)	901	20.1	7,932	131	8,063
6. Nevada (Feb. 1992)	323	14.8	3,367	25	3,392
7. South Carolina (Feb. 1986)	597	14.5	7,428	103	7,531
8. New Jersey (Jan. 1992)	1,208	14.0	15,391	419	15,810
9. Tennessee (Jan. 1992)	797	13.8	6,610	80	6,690
<b>10. Virginia** (July 1989)</b>	<b>999</b>	<b>13.7</b>	<b>9,198</b>	<b>79</b>	<b>9,277</b>
11. North Carolina (Feb. 1990)	1,118	13.5	11,432	128	11,560
12. Mississippi (Oct. 1987)	383	13.4	4,565	50	4,615
13. Alabama (Jan. 1998)	522	11.6	5,820	42	5,862
14. Colorado (Nov. 1985)	437	9.7	6,102	32	6,134
15. Arizona (Jan. 1987)	499	9.1	5,176	49	5,225
<b>Total</b>	<b>35,147</b>		<b>195,401</b>	<b>4,358</b>	<b>199,759</b>

**Table 9. AIDS Cases and Rates (per 100,000 population), by Area of Residence and Age Category, Reported through December 2002 - United States**

<b>STATE</b>	<b>2002</b>		<b>Cumulative through 2002</b>		
	<b>Cases</b>	<b>Rate</b>	<b>Adult/ Adolescents</b>	<b>Pediatric</b>	<b>Total</b>
1. District of Columbia	927	162.4	14,707	175	14,882
2. U.S. Virgin Islands	58	47.0	557	18	575
3. New York	6,664	34.8	153,457	2,298	155,755
4. Maryland	1,854	34.0	25,045	313	25,358
5. Florida	5,058	30.3	88,760	1,473	90,233
6. Puerto Rico	1,139	29.5	26,847	395	27,242
7. Louisiana	1,167	26.0	14,494	130	14,624
8. Delaware	193	23.9	2,995	24	3,019
9. South Carolina	833	20.3	10,967	88	11,055
10. Connecticut	618	17.9	12,588	177	12,765
11. Georgia	1,471	17.2	25,795	213	26,008
12. Illinois	2,108	16.7	28,149	277	28,426
13. New Jersey	1,436	16.7	44,473	764	45,237
14. Mississippi	433	15.1	5,236	57	5,293
15. Pennsylvania	1,811	14.7	27,796	340	28,136
:					
<b>19. Virginia**</b>	<b>955</b>	<b>13.1</b>	<b>14,780</b>	<b>179</b>	<b>14,959</b>
<b>Total</b>	<b>42,651</b>	<b>14.8</b>	<b>821,470</b>	<b>8,804</b>	<b>830,274</b>

\* Includes only persons with HIV infection that has not progressed to AIDS. Includes data from 36 states and from U.S. dependencies, possessions, and independent nations in free association with the United States

\*\* National statistics reported for Virginia vary slightly from state statistics because report periods differ


Source: CDC HIV/AIDS Surveillance Report, Vol. 14. Data through December 2002.

**Virginia Department of Health**  
**Division of HIV/STD**  
**Quarterly Surveillance Report**  
**Data Reported through September 30, 2003**


Table 10. Total Early Syphilis Cases by Year of Report

	1997		1998		1999		2000		2001		2002		Jan. - Sept. 2003	
<b>Gender</b>	Cases	Percent	Cases	Percent										
Male	313	50.9	200	52.8	173	47.5	151	56.8	131	55.7	109	66.1	101	78.9
Female	302	49	179	47.2	191	52.5	115	43.2	104	44.3	56	33.9	27	21.1
<b>Total</b>	<b>615</b>		<b>379</b>		<b>364</b>		<b>266</b>		<b>235</b>		<b>165</b>		<b>128</b>	
<b>Race/Ethnicity</b>														
White	47	7.6	27	7.1	36	9.9	31	11.7	33	14.0	35	21.2	43	33.6
Black	542	88.1	338	89.2	310	85.2	217	81.6	183	77.9	114	69.1	78	60.9
Hispanic	16	2.6	7	1.8	12	3.3	13	4.9	10	4.3	11	6.7	6	4.7
Asian/Pacific Islander	6	1.0	3	0.8	5	1.4	2	0.8	0	0.0	2	1.2	0	0.0
American Indian/Alaskan Native	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
Other	0	0.0	1	0.3	0	0.0	0	0.0	2	0.9	1	0.6	0	0.0
Not Reported	4	0.7	3	0.8	1	0.3	3	1.1	7	3.0	2	1.2	1	0.8
<b>Total</b>	<b>615</b>		<b>379</b>		<b>364</b>		<b>266</b>		<b>235</b>		<b>165</b>		<b>128</b>	
<b>Age at Diagnosis<sup>2</sup></b>														
0 - 9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
10 - 19	44	7.2	37	9.8	23	6.3	17	6.4	10	4.3	14	8.5	4	3.1
20 - 29	199	32.4	111	29.3	100	27.5	57	21.4	56	23.8	47	28.5	28	21.9
30 - 39	223	36.3	141	37.2	135	37.1	97	36.5	90	38.3	46	27.9	50	39.1
40 - 54	127	20.7	75	19.8	92	25.3	79	29.7	67	28.5	50	30.3	38	29.7
55+	22	3.6	15	4.0	14	3.8	15	5.6	12	5.1	8	4.8	7	5.5
Not Reported	0	0.0	0	0.0	0	0.0	1	0.4	0	0.0	0	0.0	1	0.8
<b>Total</b>	<b>615</b>		<b>379</b>		<b>364</b>		<b>266</b>		<b>235</b>		<b>165</b>		<b>128</b>	
<b>Health Region</b>														
Northwest	12	2.0	11	2.9	6	1.6	3	1.1	7	3.0	7	4.2	5	3.9
Northern	42	6.8	27	7.1	39	10.7	29	10.9	35	14.9	50	30.3	48	37.5
Southwest	63	10.2	73	19.3	129	35.4	95	35.7	38	16.2	13	7.9	7	5.5
Central	195	31.7	101	26.6	76	20.9	40	15.0	53	22.6	28	17.0	35	27.3
Eastern	303	49.3	167	44.1	114	31.3	99	37.2	102	43.4	67	40.6	33	25.8
<b>Total</b>	<b>615</b>		<b>379</b>		<b>364</b>		<b>266</b>		<b>235</b>		<b>165</b>		<b>128</b>	


**Figure F. Total Early Syphilis by Gender and Year of Report**




**Figure G. Total Early Syphilis by Race/Ethnicity and Year of Report**



**Figure H. Total Early Syphilis by Age Group and Year of Report**



**Figure I. Total Early Syphilis by Health Region and Year of Report**



**Virginia Department of Health**  
**Division of HIV/STD**  
**Quarterly Surveillance Report**  
**Data Reported through September 30, 2003**

Table 11. Primary & Secondary Syphilis Cases by Health District - Five Year Average<sup>13</sup>


<b>Northwest Region</b>	<b>Jan. - Sept. 1999</b>	<b>Jan. - Sept. 2000</b>	<b>Jan. - Sept. 2001</b>	<b>Jan. - Sept. 2002</b>	<b>Jan. - Sept. 2003</b>	<b>Five Year Average</b>
Central Shenandoah	0	0	1	0	1	0.4
Lord Fairfax	0	1	1	0	1	0.6
Rappahannock	0	0	1	3	1	1.0
Rappahannock/Rapidan	0	0	0	1	1	0.4
Thomas Jefferson	0	1	0	0	1	0.4
<b>Total</b>	<b>0</b>	<b>2</b>	<b>3</b>	<b>4</b>	<b>5</b>	<b>2.8</b>
<b>Northern Region</b>						
Alexandria	4	2	1	7	7	4.2
Arlington	1	5	10	3	9	5.6
Fairfax	5	2	3	4	11	5.0
Loudoun	0	0	0	1	1	0.4
Prince William	1	3	0	0	2	1.2
<b>Total</b>	<b>11</b>	<b>12</b>	<b>14</b>	<b>15</b>	<b>30</b>	<b>16.4</b>
<b>Southwest Region</b>						
Alleghany	0	0	0	0	0	0.0
Central Virginia	1	0	0	0	1	0.4
Cumberland Plateau	0	0	0	0	0	0.0
Lenowisco	0	0	0	0	0	0.0
Mount Rogers	0	0	1	0	0	0.2
New River	2	0	0	0	0	0.4
Pittsylvania/Danville	47	36	9	0	0	18.4
Roanoke	6	3	0	0	1	2.0
West Piedmont	0	0	0	0	1	0.2
<b>Total</b>	<b>56</b>	<b>39</b>	<b>10</b>	<b>0</b>	<b>3</b>	<b>21.6</b>
<b>Central Region</b>						
Chesterfield	1	0	1	2	3	1.4
Crater	1	1	0	0	1	0.6
Hanover	0	0	1	2	0	0.6
Henrico	1	0	0	0	3	0.8
Piedmont	0	0	0	0	1	0.2
Richmond	11	2	9	2	4	5.6
Southside	0	2	0	0	0	0.4
<b>Total</b>	<b>14</b>	<b>5</b>	<b>11</b>	<b>6</b>	<b>12</b>	<b>9.6</b>
<b>Eastern Region</b>						
Chesapeake	8	7	7	3	3	5.6
Eastern Shore	1	1	1	0	0	0.6
Hampton	1	0	1	1	1	0.8
Norfolk	17	29	26	13	5	18.0
Peninsula	3	2	4	0	2	2.2
Portsmouth	1	1	1	3	3	1.8
Three Rivers	0	0	0	0	0	0.0
Virginia Beach	6	5	2	7	3	4.6
Western Tidewater	1	2	1	2	0	1.2
<b>Total</b>	<b>38</b>	<b>47</b>	<b>43</b>	<b>29</b>	<b>17</b>	<b>34.8</b>
<b>Virginia Total</b>	<b>119</b>	<b>105</b>	<b>81</b>	<b>54</b>	<b>67</b>	<b>85.2</b>

**Virginia Department of Health**  
**Division of HIV/STD**  
**Quarterly Surveillance Report**  
**Data Reported through September 30, 2003**

Table 12. Total Early Syphilis Cases by Health District - Five Year Average<sup>13</sup>

<b>Northwest Region</b>	<b>Jan. - Sept. 1999</b>	<b>Jan. - Sept. 2000</b>	<b>Jan. - Sept. 2001</b>	<b>Jan. - Sept. 2002</b>	<b>Jan. - Sept. 2003</b>	<b>Five Year Average</b>
Central Shenandoah	1	0	3	0	1	1.0
Lord Fairfax	0	2	1	0	1	0.8
Rappahannock	1	0	1	4	1	1.4
Rappahannock/Rapidan	0	0	0	1	1	0.4
Thomas Jefferson	1	1	2	0	1	1.0
<b>Total</b>	<b>3</b>	<b>3</b>	<b>7</b>	<b>5</b>	<b>5</b>	<b>4.6</b>
<b>Northern Region</b>						
Alexandria	7	2	7	10	10	7.2
Arlington	4	8	12	4	13	8.2
Fairfax	13	5	3	13	18	10.4
Loudoun	0	0	0	2	1	0.6
Prince William	2	4	1	4	6	3.4
<b>Total</b>	<b>26</b>	<b>19</b>	<b>23</b>	<b>33</b>	<b>48</b>	<b>29.8</b>
<b>Southwest Region</b>						
Alleghany	0	0	0	0	0	0.0
Central Virginia	4	0	0	2	1	1.4
Cumberland Plateau	0	0	0	0	0	0.0
Lenowisco	0	1	0	0	0	0.2
Mount Rogers	0	0	1	0	1	0.4
New River	2	0	0	0	0	0.4
Pittsylvania/Danville	89	77	24	7	3	40.0
Roanoke	7	4	1	0	1	2.6
West Piedmont	3	1	5	0	1	2.0
<b>Total</b>	<b>105</b>	<b>83</b>	<b>31</b>	<b>9</b>	<b>7</b>	<b>47.0</b>
<b>Central Region</b>						
Chesterfield	5	1	3	2	3	2.8
Crater	6	5	4	1	3	3.8
Hanover	4	2	2	3	1	2.4
Henrico	5	2	4	4	8	4.6
Piedmont	1	0	0	0	2	0.6
Richmond	40	17	34	12	18	24.2
Southside	2	6	1	2	0	2.2
<b>Total</b>	<b>63</b>	<b>33</b>	<b>48</b>	<b>24</b>	<b>35</b>	<b>40.6</b>
<b>Eastern Region</b>						
Chesapeake	11	11	9	9	4	8.8
Eastern Shore	2	1	1	0	0	0.8
Hampton	3	1	3	1	1	1.8
Norfolk	45	47	44	23	15	34.8
Peninsula	6	3	8	0	2	3.8
Portsmouth	9	4	4	10	6	6.6
Three Rivers	1	0	1	0	0	0.4
Virginia Beach	10	11	6	8	5	8.0
Western Tidewater	3	2	2	6	0	2.6
<b>Total</b>	<b>90</b>	<b>80</b>	<b>78</b>	<b>57</b>	<b>33</b>	<b>67.6</b>
<b>Virginia Total</b>	<b>287</b>	<b>218</b>	<b>187</b>	<b>128</b>	<b>128</b>	<b>189.6</b>

**Figure J. Total Early Syphilis by Health District**  
**Rate Per 100,000 Population<sup>11</sup>**  
**Reported October 2002 - September 2003**



**Virginia Department of Health  
Division of HIV/STD  
Quarterly Surveillance Report  
Data Reported through September 30, 2003**

UNITED STATES DATA

**Table 13. Primary & Secondary Syphilis Cases & Rates - Top Ten U.S. Cities - 2002  
Cities with Population >200,000 - Ranked by Rate Per 100,000 Population**

<b>City</b>	<b>Cases</b>	<b>Rate</b>
1. San Francisco, CA	315	40.6
2. Detroit, MI	384	40.4
3. Atlanta, GA	257	31.5
4. Newark, NJ	63	20.9
5. Baltimore, MD	121	18.6
6. Oklahoma City, OK	52	12.2
7. Chicago, IL	353	11.4
8. Louisville, KY	77	11.1
9. Miami, Fl	231	10.3
10. Washington, DC	58	10.1
:		
<b>19. Norfolk, VA</b>	<b>13</b>	<b>5.5</b>
:		
<b>48. Richmond, VA</b>	<b>3</b>	<b>1.5</b>
United States Total	6,862	2.4
Year 2010 Objective		0.2

Source: Centers for Disease Control and Prevention. *Sexually Transmitted Disease Surveillance, 2002.*

**Table 14. Primary & Secondary Syphilis Cases & Rates - Top Ten States - 2002  
Ranked by Rate Per 100,000 Population**

<b>State</b>	<b>Cases</b>	<b>Rate</b>
1. Georgia	439	5.4
2. Michigan	486	4.9
3. Maryland	228	4.3
4. Florida	617	3.9
5. Illinois	479	3.9
6. Arizona	200	3.9
7. North Carolina	279	3.5
8. Louisiana	152	3.4
9. Alabama	149	3.4
10. South Carolina	134	3.3
:		
<b>28. Virginia</b>	<b>71</b>	<b>1.5</b>
United States Total	6,862	2.4
Year 2010 Objective		0.2

Source: Centers for Disease Control and Prevention. *Sexually Transmitted Disease Surveillance, 2002.*

**Virginia Department of Health**  
**Division of HIV/STD**  
**Quarterly Surveillance Report**  
**Data Reported through September 30, 2003**

Table 15. Gonorrhea Cases by Year of Report


<b>Gender</b>	1998		1999		2000		2001		2002		Jan. - Sept. 2003	
	Cases	Percent	Cases	Percent	Cases	Percent	Cases	Percent	Cases	Percent	Cases	Percent
Male	4,689	50.9	4,778	51.3	5,306	52.2	5,568	50.2	5,017	48.0	3,157	46.6
Female	4,524	49.1	4,541	48.7	4,854	47.7	5,480	49.4	5,445	52.0	3,605	53.2
Not Reported	2	0.0	3	0.0	12	0.1	34	0.3	0	0.0	13	0.2
<b>Total</b>	9,215		9,322		10,172		11,082		10,462		6,775	
<b>Race/Ethnicity</b>												
White	896	9.7	882	9.5	954	9.4	1,158	10.4	1,190	11.4	826	12.2
Black	7,310	79.3	7,555	81.0	8,235	81.0	8,729	78.8	8,155	77.9	5,089	75.1
Hispanic	86	0.9	88	0.9	117	1.2	113	1.0	81	0.8	81	1.2
Asian/Pacific Islander	26	0.3	22	0.2	32	0.3	30	0.3	47	0.4	28	0.4
American Indian/Alaskan Native	8	0.1	4	0.0	2	0.0	2	0.0	8	0.1	3	0.0
Other	42	0.5	65	0.7	66	0.6	90	0.8	89	0.9	77	1.1
Not Reported	847	9.2	706	7.6	766	7.5	960	8.7	892	8.5	671	9.9
<b>Total</b>	9,215		9,322		10,172		11,082		10,462		6,775	
<b>Age at Diagnosis<sup>2</sup></b>												
0 - 9	15	0.2	13	0.1	11	0.1	13	0.1	5	0.0	5	0.1
10 - 14	162	1.8	157	1.7	151	1.5	166	1.5	156	1.5	95	1.4
15 - 19	2,857	31.0	2,646	28.4	2,899	28.5	3,199	28.9	2,971	28.4	1,875	27.7
20 - 29	4,087	44.4	4,291	46.0	4,730	46.5	5,235	47.2	5,100	48.7	3,390	50.0
30 - 39	1,375	14.9	1,464	15.7	1,530	15.0	1,570	14.2	1,464	14.0	890	13.1
40 - 54	540	5.9	581	6.2	691	6.8	713	6.4	642	6.1	445	6.6
55 +	61	0.7	69	0.7	77	0.8	97	0.9	72	0.7	56	0.8
Not Reported	118	1.3	101	1.1	83	0.8	89	0.8	52	0.5	19	0.3
<b>Total</b>	9,215		9,322		10,172		11,082		10,462		6,775	
<b>Health Region</b>												
Northwest	486	5.3	511	5.5	447	4.4	465	4.2	465	4.4	313	4.6
Northern	812	8.8	745	8.0	737	7.2	701	6.3	674	6.4	434	6.4
Southwest	1,227	13.3	1,019	10.9	1,224	12.0	1,345	12.1	1,347	12.9	837	12.4
Central	2,463	26.7	2,837	30.4	2,867	28.2	3,487	31.5	2,948	28.2	1,859	27.4
Eastern	4,227	45.9	4,210	45.2	4,897	48.1	5,084	45.9	5,028	48.1	3,332	49.2
<b>Total</b>	9,215		9,322		10,172		11,082		10,462		6,775	

**Virginia Department of Health**  
**Division of HIV/STD**  
**Quarterly Surveillance Report**  
**Data Reported through September 30, 2003**


Table 16. Gonorrhea Cases by Health District - Five Year Average<sup>13</sup>



<b>Northwest Region</b>	<b>Jan. - Sept. 1999</b>	<b>Jan. - Sept. 2000</b>	<b>Jan. - Sept. 2001</b>	<b>Jan. - Sept. 2002</b>	<b>Jan. - Sept. 2003</b>	<b>Five Year Average</b>
Central Shenandoah	39	57	93	50	34	54.6
Lord Fairfax	19	28	30	48	21	29.2
Rappahannock	99	113	105	112	118	109.4
Rappahannock/Rapidan	60	69	49	56	46	56.0
Thomas Jefferson	153	70	74	85	94	95.2
<b>Total</b>	<b>370</b>	<b>337</b>	<b>351</b>	<b>351</b>	<b>313</b>	<b>344.4</b>
<b>Northern Region</b>						
Alexandria	178	61	49	77	73	87.6
Arlington	56	83	83	65	67	70.8
Fairfax	157	184	165	179	146	166.2
Loudoun	27	31	40	21	22	28.2
Prince William	147	191	163	176	126	160.6
<b>Total</b>	<b>565</b>	<b>550</b>	<b>500</b>	<b>518</b>	<b>434</b>	<b>513.4</b>
<b>Southwest Region</b>						
Alleghany	15	33	32	32	45	31.4
Central Virginia	149	217	326	328	178	239.6
Cumberland Plateau	2	5	1	1	2	2.2
Lenowisco	3	4	3	8	6	4.8
Mount Rogers	6	14	14	17	30	16.2
New River	16	18	25	30	38	25.4
Pittsylvania/Danville	226	235	242	251	182	227.2
Roanoke	223	302	240	248	293	261.2
West Piedmont	136	106	127	129	63	112.2
<b>Total</b>	<b>776</b>	<b>934</b>	<b>1,010</b>	<b>1,044</b>	<b>837</b>	<b>920.2</b>
<b>Central Region</b>						
Chesterfield	86	122	153	180	175	143.2
Crater	219	327	478	299	231	310.8
Hanover	65	58	43	69	55	58.0
Henrico	266	218	190	332	282	257.6
Piedmont	84	51	66	84	73	71.6
Richmond	1,415	1,383	1,445	1,179	963	1,277.0
Southside	95	84	129	99	80	97.4
<b>Total</b>	<b>2,230</b>	<b>2,243</b>	<b>2,504</b>	<b>2,242</b>	<b>1,859</b>	<b>2,215.6</b>
<b>Eastern Region</b>						
Chesapeake	193	242	270	256	303	252.8
Eastern Shore	53	88	29	25	67	52.4
Hampton	252	385	364	309	390	340.0
Norfolk	950	1,170	1,078	1,112	773	1,016.6
Peninsula	646	704	766	774	697	717.4
Portsmouth	244	377	329	297	236	296.6
Three Rivers	118	122	87	119	108	110.8
Virginia Beach	325	324	416	416	445	385.2
Western Tidewater	204	274	358	348	313	299.4
<b>Total</b>	<b>2,985</b>	<b>3,686</b>	<b>3,697</b>	<b>3,656</b>	<b>3,332</b>	<b>3,471.2</b>
<b>Virginia Total</b>	<b>6,926</b>	<b>7,750</b>	<b>8,062</b>	<b>7,811</b>	<b>6,775</b>	<b>7,464.8</b>

**Figure K. Gonorrhea by Gender and Year of Report**




**Figure L. Gonorrhea by Race and Year of Report**





**Figure O. Gonorrhea by Health District**  
**Rate Per 100,000 Population<sup>11</sup>**  
**Reported October 2002 - September 2003**



**Virginia Department of Health**  
**Division of HIV/STD**  
**Quarterly Surveillance Report**  
**Data Reported through September 30, 2003**

**UNITED STATES DATA**

Table 17. Gonorrhea Cases & Rates - Top Ten U.S. Cities - 2002  
 Cities with Population >200,000 - Ranked by Rate Per 100,000 Population

<b>City</b>	<b>Cases</b>	<b>Rate</b>
1. St. Louis, MO	2,737	786.1
<b>2. Richmond, VA</b>	<b>1,507</b>	<b>761.9</b>
3. Baltimore, MD	4,873	748.4
4. Detroit, MI	6,845	719.6
5. Rochester, NY	1,581	639.9
<b>6. Norfolk, VA</b>	<b>1,463</b>	<b>624.1</b>
7. Kansas City, MO	2,625	580.9
8. New Orleans, LA	2,685	554.0
9. Newark, NJ	1,573	523.0
10. Buffalo, NY	1,653	513.1
United States Total	351,852	125.0
Year 2010 Objective		19.0

Source: Centers for Disease Control and Prevention. *Sexually Transmitted Disease Surveillance, 2002*.

Table 18. Gonorrhea Cases & Rates - Top Ten States - 2002  
 Ranked by Rate Per 100,000 Population

<b>State</b>	<b>Cases</b>	<b>Rate</b>
1. Louisiana	11,387	254.8
2. Mississippi	6,875	241.7
3. South Carolina	9,152	228.1
4. Alabama	10,118	227.5
5. Georgia	18,383	224.6
6. Delaware	1,576	201.1
7. Ohio	22,008	193.8
8. Illinois	24,026	193.5
9. North Carolina	15,531	192.9
10. Maryland	9,355	176.6
:		
<b>15. Virginia</b>	<b>10,462</b>	<b>147.8</b>
United States Total	351,852	125.0
Year 2010 Objective		19.0

Source: Centers for Disease Control and Prevention. *Sexually Transmitted Disease Surveillance, 2002*.

Table 19. Chlamydia Cases by Year of Report


	1998						1999						2000						2001						Jan. - Sept. 2003	
<b>Gender</b>	<b>Cases</b>	<b>Percent</b>	<b>Cases</b>	<b>Percent</b>	<b>Cases</b>	<b>Percent</b>	<b>Cases</b>	<b>Percent</b>	<b>Cases</b>	<b>Percent</b>	<b>Cases</b>	<b>Percent</b>	<b>Cases</b>	<b>Percent</b>												
Male	1,928	14.4	2,082	15.5	2,366	15.4	3,103	16.9	3,416	18.4	2,891	19.8														
Female	11,438	85.5	11,345	84.5	12,989	84.5	15,164	82.8	15,102	81.6	11,671	80.0														
Not Reported	5	0.0	2	0.0	15	0.1	52	0.3	0	0.0	23	0.2														
<b>Total</b>	<b>13,371</b>		<b>13,429</b>		<b>15,370</b>		<b>18,319</b>		<b>18,518</b>		<b>14,585</b>															
<b>Race/Ethnicity</b>																										
White	2,880	21.5	2,992	22.3	3,427	22.3	4,299	23.5	4,518	24.4	3,532	24.2														
Black	7,983	59.7	8,380	62.4	9,168	59.6	10,854	59.2	10,540	56.9	8,226	56.4														
Hispanic	393	2.9	439	3.3	555	3.6	785	4.3	713	3.9	595	4.1														
Asian/Pacific Islander	115	0.9	136	1.0	104	0.7	166	0.9	212	1.1	145	1.0														
American Indian/Alaskan Native	12	0.1	7	0.1	3	0.0	10	0.1	8	0.0	3	0.0														
Other	147	1.1	147	1.1	236	1.5	281	1.5	296	1.6	261	1.8														
Not Reported	1,841	13.8	1,328	9.9	1,877	12.2	1,924	10.5	2,231	12.0	1,823	12.5														
<b>Total</b>	<b>13,371</b>		<b>13,429</b>		<b>15,370</b>		<b>18,319</b>		<b>18,518</b>		<b>14,585</b>															
<b>Age at Diagnosis</b> <sup>2</sup>																										
0 - 9	29	0.2	33	0.2	15	0.1	27	0.1	21	0.1	7	0.0														
10 - 14	351	2.6	313	2.3	331	2.2	387	2.1	339	1.8	225	1.5														
15 - 19	5,740	42.9	5,738	42.7	6,179	40.2	7,276	39.7	7,079	38.2	5,445	37.3														
20 - 29	6,025	45.1	6,203	46.2	7,443	48.4	8,962	48.9	9,329	50.4	7,547	51.7														
30 - 39	942	7.0	901	6.7	1,074	7.0	1,278	7.0	1,321	7.1	1,052	7.2														
40 - 54	141	1.1	137	1.0	216	1.4	282	1.5	304	1.6	224	1.5														
55+	27	0.2	23	0.2	25	0.2	24	0.1	30	0.2	24	0.2														
Not Reported	116	0.9	81	0.6	87	0.6	83	0.5	95	0.5	61	0.4														
<b>Total</b>	<b>13,371</b>		<b>13,429</b>		<b>15,370</b>		<b>18,319</b>		<b>18,518</b>		<b>14,585</b>															
<b>Health Region</b>																										
Northwest	1,488	11.1	1,608	12.0	1,857	12.1	2,174	11.9	2,070	11.2	1,636	11.2														
Northern	1,725	12.9	1,892	14.1	2,072	13.5	2,348	12.8	2,353	12.7	1,852	12.7														
Southwest	1,807	13.5	1,927	14.3	2,163	14.1	2,686	14.7	2,708	14.6	2,098	14.4														
Central	3,574	26.7	3,667	27.3	4,056	26.4	4,266	23.3	4,696	25.4	3,594	24.6														
Eastern	4,777	35.7	4,335	32.3	5,222	34.0	6,845	37.4	6,691	36.1	5,405	37.1														
<b>Total</b>	<b>13,371</b>		<b>13,429</b>		<b>15,370</b>		<b>18,319</b>		<b>18,518</b>		<b>14,585</b>															

**Virginia Department of Health**  
**Division of HIV/STD**  
**Quarterly Surveillance Report**  
**Data Reported through September 30, 2003**


Table 20. Chlamydia Cases by Health District - Five Year Average<sup>13</sup>

	Jan. - Sept. 1999	Jan. - Sept. 2000	Jan. - Sept. 2001	Jan. - Sept. 2002	Jan. - Sept. 2003	Five Year Average
<b>Northwest Region</b>						
Central Shenandoah	230	299	371	288	304	298.4
Lord Fairfax	163	194	278	236	309	236.0
Rappahannock	327	388	458	390	411	394.8
Rappahannock/Rapidan	129	173	221	180	241	188.8
Thomas Jefferson	359	385	382	367	371	372.8
<b>Total</b>	1,208	1,439	1,710	1,461	1,636	1,490.8
<b>Northern Region</b>						
Alexandria	292	188	248	204	272	240.8
Arlington	154	173	209	218	209	192.6
Fairfax	479	642	667	631	585	600.8
Loudoun	112	96	153	118	158	127.4
Prince William	421	453	529	531	628	512.4
<b>Total</b>	1,458	1,552	1,806	1,702	1,852	1,674.0
<b>Southwest Region</b>						
Alleghany	78	91	97	133	165	112.8
Central Virginia	295	414	496	357	426	397.6
Cumberland Plateau	17	35	34	44	38	33.6
Lenowisco	28	34	43	46	84	47.0
Mount Rogers	64	105	152	161	156	127.6
New River	76	70	125	166	190	125.4
Pittsylvania/Danville	404	366	494	471	464	439.8
Roanoke	300	351	476	314	399	368.0
West Piedmont	169	171	215	232	176	192.6
<b>Total</b>	1,431	1,637	2,132	1,924	2,098	1,844.4
<b>Central Region</b>						
Chesterfield	193	230	279	375	437	302.8
Crater	351	463	637	532	552	507.0
Hanover	101	105	108	129	141	116.8
Henrico	322	254	281	419	558	366.8
Piedmont	207	222	184	178	206	199.4
Richmond	1,712	1,686	1,310	1,519	1,519	1,549.2
Southside	183	194	208	145	181	182.2
<b>Total</b>	3,069	3,154	3,007	3,297	3,594	3,224.2
<b>Eastern Region</b>						
Chesapeake	295	362	485	443	496	416.2
Eastern Shore	176	164	174	133	146	158.6
Hampton	325	434	517	513	789	515.6
Norfolk	670	872	1,045	938	937	892.4
Peninsula	510	739	898	819	965	786.2
Portsmouth	284	336	375	404	371	354.0
Three Rivers	250	244	292	257	280	264.6
Virginia Beach	449	518	836	792	910	701.0
Western Tidewater	291	433	510	470	511	443.0
<b>Total</b>	3,250	4,102	5,132	4,769	5,405	4,531.6
<b>Virginia Total</b>	10,416	11,884	13,787	13,153	14,585	12,765.0


**Figure P. Chlamydia by Gender and Year of Report**




**Figure Q. Chlamydia by Race and Year of Report**




**Figure R. Chlamydia by Age Group and Year of Report**



**Figure S. Chlamydia by Health Region and Year of Report**



**Figure T. Chlamydia by Health District**  
**Rate Per 100,000 Population<sup>11</sup>**  
**Reported October 2002 - September 2003**



**Virginia Department of Health**  
**Division of HIV/STD**  
**Quarterly Surveillance Report**  
**Data Reported through September 30, 2003**

**UNITED STATES DATA**

Table 21. Chlamydia Cases & Rates - Top Ten U.S. Cities - 2002  
 Cities with Population >200,000 - Ranked by Rate Per 100,000 Population

	<b>City</b>	<b>Cases</b>	<b>Rate</b>
1.	Detroit, MI	11,374	1,195.7
<b>2.</b>	<b>Richmond, VA</b>	<b>2,108</b>	<b>1,065.8</b>
3.	Baltimore, MD	6,267	962.4
4.	Philadelphia, PA	14,458	952.7
5.	St Louis, MO	3,206	920.8
6.	Milwaukee, WI	8,553	909.7
7.	New Orleans, LA	4,340	895.4
8.	Denver, CO	4,546	819.6
9.	Chicago, IL	24,673	799.4
10.	Indianapolis, IN	6,593	766.2
:			
<b>22.</b>	<b>Norfolk, VA</b>	<b>1,350</b>	<b>575.9</b>
	United States Total	834,555	296.5

Source: Centers for Disease Control and Prevention. *Sexually Transmitted Disease Surveillance, 2002*.

Table 22. Chlamydia Cases & Rates - Top Ten States - 2002  
 Ranked by Rate Per 100,000 Population

	<b>State</b>	<b>Cases</b>	<b>Rate</b>
1.	Alaska	3,806	607.1
2.	Georgia	33,998	415.3
3.	Mississippi	11,800	414.8
4.	Louisiana	18,442	412.7
5.	New Mexico	7,417	407.7
6.	Illinois	48,101	387.3
7.	Hawaii	4,521	373.2
8.	South Carolina	14,314	356.8
9.	Alabama	15,611	351.0
10.	Delaware	2,649	338.1
:			
<b>33.</b>	<b>Virginia</b>	<b>18,518</b>	<b>261.6</b>
	United States Total	834,555	296.5

Source: Centers for Disease Control and Prevention. *Sexually Transmitted Disease Surveillance, 2002*.

**Virginia Department of Health**  
**Division of HIV/STD**  
**Quarterly Surveillance Report**  
**Data Reported through September 30, 2003**

Table 23. State Funded<sup>10</sup> HIV Testing (Jan. - Jun. 2003)

Clinic Type Specimen Type	Confidential						Anonymous			Total		
	Blood			Oral								
Gender	Tested	Pos.	%	Tested	Pos.	%	Tested	Pos.	%	Tested	Pos.	%
Male	9,421	141	1.5	1,038	18	1.7	674	12	1.8	11,133	171	1.5
Female	25,352	68	0.3	1,016	8	0.8	604	7	1.2	26,972	83	0.3
Not Reported	2,699	20	0.7	434	3	0.7	122	7	5.7	3,255	30	0.9
<b>Total</b>	<b>37,472</b>	<b>229</b>	<b>0.6</b>	<b>2,488</b>	<b>29</b>	<b>1.2</b>	<b>1,400</b>	<b>26</b>	<b>1.9</b>	<b>41,360</b>	<b>284</b>	<b>0.7</b>
Race												
White	15,299	41	0.3	800	5	0.6	833	3	0.4	16,932	49	0.3
Black	16,096	164	1.0	1,501	22	1.5	422	17	4.0	18,019	203	1.1
Asian/Pacific Islander	703	1	0.1	39	0	0.0	28	2	7.1	770	3	0.4
American Indian/Alaskan Native	66	1	1.5	3	0	0.0	3	0	0.0	72	1	1.4
Other/Not Reported	5,308	22	0.4	145	2	1.4	114	4	3.5	5,567	28	0.5
<b>Total</b>	<b>37,472</b>	<b>229</b>	<b>0.6</b>	<b>2,488</b>	<b>29</b>	<b>1.2</b>	<b>1,400</b>	<b>26</b>	<b>1.9</b>	<b>41,360</b>	<b>284</b>	<b>0.7</b>
Ethnicity												
Hispanic	5,927	25	0.4	119	1	0.8	114	3	2.6	6,160	29	0.5
Non-Hispanic	31,545	204	0.6	2,369	28	1.2	1,286	23	1.8	35,200	255	0.7
<b>Total</b>	<b>37,472</b>	<b>229</b>	<b>0.6</b>	<b>2,488</b>	<b>29</b>	<b>1.2</b>	<b>1,400</b>	<b>26</b>	<b>1.9</b>	<b>41,360</b>	<b>284</b>	<b>0.7</b>
Age Group												
0 - 12	55	0	0.0	6	0	0.0	4	0	0.0	65	0	0.0
13 - 19	6,759	8	0.1	192	2	1.0	58	0	0.0	7,009	10	0.1
20 - 29	17,798	64	0.4	722	10	1.4	546	4	0.7	19,066	78	0.4
30 - 39	7,090	72	1.0	629	11	1.7	356	10	2.8	8,075	93	1.2
40 - 54	3,980	63	1.6	741	5	0.7	355	11	3.1	5,076	79	1.6
55+	654	12	1.8	123	0	0.0	48	1	2.1	825	13	1.6
Not Reported	1,136	10	0.9	75	1	1.3	33	0	0.0	1,244	11	0.9
<b>Total</b>	<b>37,472</b>	<b>229</b>	<b>0.6</b>	<b>2,488</b>	<b>29</b>	<b>1.2</b>	<b>1,400</b>	<b>26</b>	<b>1.9</b>	<b>41,360</b>	<b>284</b>	<b>0.7</b>
Transmission Risk*												
Men Having Sex with Men (MSM) <sup>3</sup>	875	65	7.4	195	8	4.1	234	7	3.0	1,304	80	6.1
Injecting Drug Use (IDU)	594	13	2.2	448	8	1.8	23	1	4.3	1,065	22	2.1
Sex while using Non-Injection Drugs	3,720	35	0.9	1,162	18	1.5	157	3	1.9	5,039	56	1.1
Sex for Drugs and/or Money	641	17	2.7	406	9	2.2	37	0	0.0	1,084	26	2.4
Prior STD Diagnosis	5,524	44	0.8	481	5	1.0	126	4	3.2	6,131	53	0.9
Needle Sharing	352	6	1.7	279	5	1.8	12	1	8.3	643	12	1.9
Hemophilia/Transfusion	322	2	0.6	55	1	1.8	12	0	0.0	389	3	0.8
Child of Woman with HIV/AIDS	6	0	0.0	2	0	0.0	1	0	0.0	9	0	0.0
Victim of Sexual Assault	991	8	0.8	173	1	0.6	49	1	2.0	1,213	10	0.8
Healthcare Exposure	423	2	0.5	63	0	0.0	39	1	2.6	525	3	0.6
Multiple Heterosexual Contacts <sup>6</sup>	14,238	86	0.6	1,251	15	1.2	728	8	1.1	16,217	109	0.7
Heterosexual Relations with:												
Man who had Sex with another Man	635	42	6.6	248	9	3.6	201	9	4.5	1,084	60	5.5
Injection Drug User	629	10	1.6	643	13	2.0	26	0	0.0	1,298	23	1.8
HIV/AIDS Positive Person	311	32	10.3	78	2	2.6	70	4	5.7	459	38	8.3
Person with Other HIV/AIDS Risk	814	31	3.8	295	5	1.7	90	4	4.4	1,199	40	3.3
Multiple Heterosexual Contacts <sup>6</sup>	12,220	66	0.5	1,286	12	0.9	658	5	0.8	14,164	83	0.6
Unknown	17,717	82	0.5	352	0	0.0	275	6	2.2	18,344	88	0.5
No Acknowledged Risk	11,287	42	0.4	122	0	0.0	266	6	2.3	11,675	48	0.4

\*Clients may report more than one risk.

Table 24. State Funded<sup>10</sup> HIV Testing and Counseling (Jan. - Jun. 2003)

Clinic Type Specimen Type	Reason for Testing	No.	Confidential			Anonymous			Total				
			Blood No.	Pos. % Pos.	Oral No.	Pos. % Pos.	No. Pos. % Pos.	No. Pos. % Pos.	No. Pos. % Pos.	No. Pos. % Pos.			
Volunteers		34,108	189	0.6	2,265	26	1.1	1,333	22	1.7	37,706	237	0.6
Referred by													
Partner		94	2	2.1	9	0	0.0	1	0	0.0	104	2	1.9
Provider		1,135	7	0.6	1	0	0.0	13	3	23.1	1,149	10	0.9
Other		2,135	31	1.5	213	3	1.4	53	1	1.9	2,401	35	1.5
Total		37,472	229	0.6	2,488	29	1.2	1,400	26	1.9	41,360	284	0.7
<b>Post-Test Counseling</b>		<b>No.</b>	<b>%</b>		<b>No.</b>	<b>%</b>		<b>No.</b>	<b>%</b>		<b>No.</b>	<b>%</b>	
Positive Post-Test Counseled		135	59.0		19	65.5		14	53.8		168	59.2	
Negative Post-Test Counseled		12,478	33.5		1,167	47.5		1,057	76.9		14,702	35.8	
Total		12,613	33.7		1,186	47.7		1,071	76.5		14,870	36.0	

Table 25. State Funded<sup>10</sup> HIV Testing by Clinic & Specimen Type (2000 - Jun. 2003)

	2000			2001			2002			Jan. - Jun. 2003		
	No.	Pos.	% Pos.	No.	Pos.	% Pos.	No.	Pos.	% Pos.	No.	Pos.	% Pos.
Confidential	71,685	373	0.5	74,540	355	0.5	76,083	412	0.5	39,960	258	0.6
- Blood	71,685	373	0.5	74,540	355	0.5	72,304	358	0.5	37,472	229	0.6
- Oral*							3,779	54	1.4	2,488	29	1.2
Anonymous	3,893	59	1.5	3,556	57	1.6	3,001	41	1.4	1,400	26	1.9
Total	75,578	432	0.6	78,096	412	0.5	79,084	453	0.6	41,360	284	0.7

\*Oral HIV Testing includes data only for 2002 and 2003.




Table 26. State Funded<sup>10</sup> HIV Testing - Patients Being Tested for the First Time\* (Jan. - Jun. 2003)

	Tested			Post-Test Counseling					
	No.	Pos.	% Pos.	Total	%	Positives	%	Negatives	%
Confidential	10,089	59	0.6	3,785	37.5	39	66.1	3746	37.3
- Blood	9,339	50	0.5	3,445	36.9	31	62.0	3414	36.8
- Oral	750	9	1.2	340	45.3	8	88.9	332	44.8
Anonymous	379	6	1.6	283	74.7	5	83.3	278	74.5
Total	10,468	65	0.6	4,068	38.9	44	67.7	4024	38.7

\*Includes only those patients who responded "No" to the question: "Have you previously been tested for HIV?" on the HIV-1 laboratory form.

**Virginia Department of Health**  
**Division of HIV/STD**  
**Quarterly Surveillance Report**  
**Data Reported through September 30, 2003**

Table 27. State Funded<sup>10</sup> HIV Testing by Health District (Jan. - Jun. 2003)


				Post-Test Counseling							
Tested				Total		Positives		Negatives			
	Number	Positive	% Positive		Number	Percent	Number	Percent		Number	Percent
Central Shenandoah	1,819	8	0.4		845	46.5	7	87.5		838	46.3
Lord Fairfax	1,213	4	0.3		457	37.7	1	25.0		456	37.7
Rappahannock	1,603	4	0.2		495	30.9	4	100.0		491	30.7
Rappahannock/Rapidan	993	1	0.1		219	22.1	1	100.0		218	22.0
Thomas Jefferson	875	3	0.3		485	55.4	2	66.7		483	55.4
<b>Northwest Region Total</b>	<b>6,503</b>	<b>20</b>	<b>0.3</b>		<b>2,501</b>	<b>38.5</b>	<b>15</b>	<b>75.0</b>		<b>2,486</b>	<b>38.3</b>
Alexandria	1,374	12	0.9		464	33.8	7	58.3		457	33.6
Arlington	2,069	11	0.5		1,040	50.3	9	81.8		1,031	50.1
Fairfax	2,828	22	0.8		998	35.3	3	13.6		995	35.5
Loudoun	611	1	0.2		237	38.8	1	100.0		236	38.7
Prince William	1,380	7	0.5		623	45.1	5	71.4		618	45.0
<b>Northern Region Total</b>	<b>8,262</b>	<b>53</b>	<b>0.6</b>		<b>3,362</b>	<b>40.7</b>	<b>25</b>	<b>47.2</b>		<b>3,337</b>	<b>40.7</b>
Alleghany	472	0	0.0		137	29.0	0			137	29.0
Central Virginia	875	1	0.1		169	19.3	0	0.0		169	19.3
Cumberland Plateau	257	0	0.0		69	26.8	0			69	26.8
Lenowisco	403	1	0.2		205	50.9	0	0.0		205	51.0
Mount Rogers	912	3	0.3		200	21.9	1	33.3		199	21.9
New River	626	1	0.2		338	54.0	1	100.0		337	53.9
Pittsylvania/Danville	849	1	0.1		65	7.7	0	0.0		65	7.7
Roanoke	1,316	2	0.2		493	37.5	0	0.0		493	37.5
West Piedmont	344	1	0.3		118	34.3	1	100.0		117	34.1
<b>Southwest Region Total</b>	<b>6,054</b>	<b>10</b>	<b>0.2</b>		<b>1,794</b>	<b>29.6</b>	<b>3</b>	<b>30.0</b>		<b>1,791</b>	<b>29.6</b>
Chesterfield	1,123	0	0.0		415	37.0	0			415	37.0
Crater	1,879	6	0.3		338	18.0	3	50.0		335	17.9
Hanover	428	0	0.0		145	33.9	0			145	33.9
Henrico	608	0	0.0		225	37.0	0			225	37.0
Piedmont	581	2	0.3		317	54.6	2	100.0		315	54.4
Richmond	3,194	43	1.3		1,175	36.8	35	81.4		1,140	36.2
Southside	337	3	0.9		136	40.4	3	100.0		133	39.8
<b>Central Region Total</b>	<b>8,150</b>	<b>54</b>	<b>0.7</b>		<b>2,751</b>	<b>33.8</b>	<b>43</b>	<b>79.6</b>		<b>2,708</b>	<b>33.4</b>
Chesapeake	1,794	9	0.5		878	48.9	6	66.7		872	48.9
Eastern Shore	1,153	5	0.4		326	28.3	2	40.0		324	28.2
Hampton	1,089	7	0.6		445	40.9	2	28.6		443	40.9
Norfolk	3,001	91	3.0		1,044	34.8	52	57.1		992	34.1
Peninsula	444	5	1.1		235	52.9	1	20.0		234	53.3
Portsmouth	929	14	1.5		422	45.4	8	57.1		414	45.2
Three Rivers	731	2	0.3		138	18.9	0	0.0		138	18.9
Virginia Beach	1,615	7	0.4		485	30.0	6	85.7		479	29.8
Western Tidewater	1,609	7	0.4		485	30.1	5	71.4		480	30.0
<b>Eastern Region Total</b>	<b>12,365</b>	<b>147</b>	<b>1.2</b>		<b>4,458</b>	<b>36.1</b>	<b>82</b>	<b>55.8</b>		<b>4,376</b>	<b>35.8</b>
<b>Virginia Total*</b>	<b>41,360</b>	<b>284</b>	<b>0.7</b>		<b>14,870</b>	<b>36.0</b>	<b>168</b>	<b>59.2</b>		<b>14,702</b>	<b>35.8</b>

\*Total for Tested and Total Post-Test Counseling include 26 and 4 slips, respectively, whose Health District was not reported.

Table 28. State Funded<sup>10</sup> HIV Testing & Counseling by Clinic Type (Jan. - Jun. 2003)

<b>Clinic Type</b>	<b>Tested</b>			<b>Post-Test Counseling</b>					
	<b>Number</b>	<b>Positive</b>	<b>% Positive</b>	<b>Total</b>	<b>Percent</b>	<b>Positives</b>	<b>Percent</b>	<b>Negatives</b>	<b>Percent</b>
Adolescent Health Clinic (AHC)	275	0	0.0	97	35.3	0	0	97	35.3
AIDS Service Organization (ASO)	283	1	0.4	197	69.6	1	100.0	196	69.5
Anonymous Test Site (ATS)	1,400	26	1.9	1,071	76.5	14	53.8	1,057	76.9
Community Health Clinic (CHC)	456	8	1.8	267	58.6	6	75.0	261	58.3
Dept. of Corrections/Jails (DCJ)	1,219	21	1.7	364	29.9	12	57.1	352	29.4
Drug Treatment Center (DTC)	785	17	2.2	418	53.2	11	64.7	407	53.0
Family Planning Clinic (FP)	11,874	3	0.0	2,688	22.6	2	66.7	2,686	22.6
Field	520	7	1.3	133	25.6	2	28.6	131	25.5
General Medical Clinic (GMC)	746	29	3.9	337	45.2	15	51.7	322	44.9
GYN Clinic (GYN)	10	0	0.0	8	80.0	0	0	8	80.0
Homeless Shelter (HMS)	2	0	0.0	1	50.0	0	0	1	50.0
Maternal Health Clinic (MHC)	1,541	2	0.1	808	52.4	2	100.0	806	52.4
Medical Examiner (OME)	2	0	0.0	0	0.0	0	0	0	0.0
OB Clinic (OB)	2,666	4	0.2	1,204	45.2	3	75.0	1,201	45.1
STD Clinic (STD)	14,707	118	0.8	5,311	36.1	70	59.3	5,241	35.9
Street Outreach Intervention (SOI)	1,109	15	1.4	602	54.3	14	93.3	588	53.7
Student Health Clinic (SHC)	66	0	0.0	0	0.0	0	0	0	0.0
Tuberculosis Clinic (TB)	427	0	0.0	214	50.1	0	0	214	50.1
Not Listed	3,272	33	1.0	1,150	35.1	16	48.5	1,134	35.0
<b>Total</b>	<b>41,360</b>	<b>284</b>	<b>0.7</b>	<b>14,870</b>	<b>36.0</b>	<b>168</b>	<b>59.2</b>	<b>14,702</b>	<b>35.8</b>

**Figure V. HIV Testing Positivity by Clinic Type  
Top Five Positivity Rates (Jan. - Jun. 2003)**



**Virginia Department of Health**  
**Division of HIV/STD**  
**Quarterly Surveillance Report**  
**Data Reported through September 30, 2003**

Table 29. Chlamydia Screening Program by Clinic Type & Demographic Group (Jan. - Jun. 2003)

Clinic Type	Family Planning Clinics			STD Clinics			All Other Clinics			Total		
<b>Gender</b>	Tested	Positive	% Pos.	Tested	Positive	% Pos.	Tested	Positive	% Pos.	Tested	Positive	% Pos.
Male	82	14	17.1	3,494	752	21.5	819	114	13.9	4,395	880	20.0
Female	24,076	1,217	5.1	7,267	829	11.4	8,686	529	6.1	40,029	2,575	6.4
Not Reported	17	1	5.9	11	4	36.4	10	1	10.0	38	6	15.8
<b>Total</b>	<b>24,175</b>	<b>1,232</b>	<b>5.1</b>	<b>10,772</b>	<b>1,585</b>	<b>14.7</b>	<b>9,515</b>	<b>644</b>	<b>6.8</b>	<b>44,462</b>	<b>3,461</b>	<b>7.8</b>
<b>Race/Ethnicity</b>												
White	12,682	399	3.1	3,206	322	10.0	3,270	145	4.4	19,158	866	4.5
Black	7,339	700	9.5	6,452	1,099	17.0	3,519	387	11.0	17,310	2,186	12.6
Hispanic	2,872	68	2.4	585	66	11.3	1,890	73	3.9	5,347	207	3.9
Asian/Pacific Islander	138	8	5.8	84	12	14.3	102	4	3.9	324	24	7.4
American Indian/Alaskan Native	8	0	0.0	6	0	0.0	6	0	0.0	20	0	0.0
Other/Not Reported	1,136	57	5.0	439	86	19.6	728	35	4.8	2,303	178	7.7
<b>Total</b>	<b>24,175</b>	<b>1,232</b>	<b>5.1</b>	<b>10,772</b>	<b>1,585</b>	<b>14.7</b>	<b>9,515</b>	<b>644</b>	<b>6.8</b>	<b>44,462</b>	<b>3,461</b>	<b>7.8</b>
<b>Age Group</b>												
0 - 9	23	1	4.3	15	2	13.3	15	0	0.0	53	3	5.7
10 - 14	378	32	8.5	93	21	22.6	181	11	6.1	652	64	9.8
15 - 19	6,775	611	9.0	2,415	536	22.2	2,791	328	11.8	11,981	1,475	12.3
20 - 24	7,762	398	5.1	3,807	659	17.3	2,625	204	7.8	14,194	1,261	8.9
25 - 29	4,595	129	2.8	1,730	219	12.7	1,608	56	3.5	7,933	404	5.1
30 - 34	2,159	37	1.7	927	71	7.7	967	27	2.8	4,053	135	3.3
35 - 39	1,347	10	0.7	706	39	5.5	580	7	1.2	2,633	56	2.1
40 - 44	741	6	0.8	527	16	3.0	308	5	1.6	1,576	27	1.7
45 - 49	234	1	0.4	287	13	4.5	221	1	0.5	742	15	2.0
50+	85	0	0.0	230	3	1.3	173	0	0.0	488	3	0.6
Not Reported	76	7	9.2	35	6	17.1	46	5	10.9	157	18	11.5
<b>Total</b>	<b>24,175</b>	<b>1,232</b>	<b>5.1</b>	<b>10,772</b>	<b>1,585</b>	<b>14.7</b>	<b>9,515</b>	<b>644</b>	<b>6.8</b>	<b>44,462</b>	<b>3,461</b>	<b>7.8</b>
<b>Health Region</b>												
Northwest	5,292	213	4.0	1,592	204	12.8	1,276	63	4.9	8,160	480	5.9
Northern	2,317	75	3.2	1,197	123	10.3	1,873	125	6.7	5,387	323	6.0
Southwest	7,311	281	3.8	1,820	226	12.4	2,398	155	6.5	11,529	662	5.7
Central	4,117	317	7.7	2,547	421	16.5	1,930	139	7.2	8,594	877	10.2
Eastern	5,138	346	6.7	3,616	611	16.9	2,038	162	7.9	10,792	1,119	10.4
<b>Total</b>	<b>24,175</b>	<b>1,232</b>	<b>5.1</b>	<b>10,772</b>	<b>1,585</b>	<b>14.7</b>	<b>9,515</b>	<b>644</b>	<b>6.8</b>	<b>44,462</b>	<b>3,461</b>	<b>7.8</b>

**Virginia Department of Health**  
**Division of HIV/STD**  
**Quarterly Surveillance Report**  
**Data Reported through September 30, 2003**


Table 30. Chlamydia Screening Program by Clinic Type & Health District (Jan. - Jun. 2003)

Clinic Type	FP Clinics			STD Clinics			All Other Clinics			Total		
Health District	Tested	Pos.	% Pos.	Tested	Pos.	% Pos.	Tested	Pos.	% Pos.	Tested	Pos.	% Pos.
Central Shenandoah	1,619	61	3.8	274	23	8.4	284	9	3.2	2,177	93	4.3
Lord Fairfax	1,134	42	3.7	346	52	15.0	52	2	3.8	1,532	96	6.3
Rappahannock	932	26	2.8	460	69	15.0	493	21	4.3	1,885	116	6.2
Rappahannock/Rapidan	990	58	5.9	166	36	21.7	384	29	7.6	1,540	123	8.0
Thomas Jefferson	617	26	4.2	346	24	6.9	63	2	3.2	1,026	52	5.1
<b>Northwest Region</b>	<b>5,292</b>	<b>213</b>	<b>4.0</b>	<b>1,592</b>	<b>204</b>	<b>12.8</b>	<b>1,276</b>	<b>63</b>	<b>4.9</b>	<b>8,160</b>	<b>480</b>	<b>5.9</b>
Alexandria	600	14	2.3	226	18	8.0	765	71	9.3	1,591	103	6.5
Arlington	610	20	3.3	304	19	6.3	419	17	4.1	1,333	56	4.2
Fairfax	151	7	4.6	104	10	9.6	15	2	13.3	270	19	7.0
Loudoun	246	7	2.8	174	18	10.3	119	4	3.4	539	29	5.4
Prince William	710	27	3.8	389	58	14.9	555	31	5.6	1,654	116	7.0
<b>Northern Region</b>	<b>2,317</b>	<b>75</b>	<b>3.2</b>	<b>1,197</b>	<b>123</b>	<b>10.3</b>	<b>1,873</b>	<b>125</b>	<b>6.7</b>	<b>5,387</b>	<b>323</b>	<b>6.0</b>
Alleghany	618	22	3.6	184	16	8.7	94	9	9.6	896	47	5.2
Central Virginia	1,238	62	5.0	239	28	11.7	596	38	6.4	2,073	128	6.2
Cumberland Plateau	528	8	1.5	23	2	8.7	449	11	2.4	1,000	21	2.1
Lenowisco	647	22	3.4	95	8	8.4	138	6	4.3	880	36	4.1
Mount Rogers	1,957	52	2.7	203	18	8.9	221	7	3.2	2,381	77	3.2
New River	666	25	3.8	99	15	15.2	139	9	6.5	904	49	5.4
Pittsylvania/Danville	774	55	7.1	225	50	22.2	271	22	8.1	1,270	127	10.0
Roanoke	364	13	3.6	615	73	11.9	428	44	10.3	1,407	130	9.2
West Piedmont	519	22	4.2	137	16	11.7	62	9	14.5	718	47	6.5
<b>Southwest Region</b>	<b>7,311</b>	<b>281</b>	<b>3.8</b>	<b>1,820</b>	<b>226</b>	<b>12.4</b>	<b>2,398</b>	<b>155</b>	<b>6.5</b>	<b>11,529</b>	<b>662</b>	<b>5.7</b>
Chesterfield	1,027	43	4.2	329	56	17.0	336	20	6.0	1,692	119	7.0
Crater	1,021	98	9.6	550	92	16.7	153	11	7.2	1,724	201	11.7
Hanover	342	26	7.6	138	18	13.0	55	0	0.0	535	44	8.2
Henrico	346	25	7.2	298	56	18.8	106	2	1.9	750	83	11.1
Piedmont	578	41	7.1	128	14	10.9	65	7	10.8	771	62	8.0
Richmond	328	44	13.4	1,007	152	15.1	1,161	93	8.0	2,496	289	11.6
Southside	475	40	8.4	97	33	34.0	54	6	11.1	626	79	12.6
<b>Central Region</b>	<b>4,117</b>	<b>317</b>	<b>7.7</b>	<b>2,547</b>	<b>421</b>	<b>16.5</b>	<b>1,930</b>	<b>139</b>	<b>7.2</b>	<b>8,594</b>	<b>877</b>	<b>10.2</b>
Chesapeake	528	40	7.6	494	101	20.4	68	8	11.8	1,090	149	13.7
Eastern Shore	605	28	4.6	149	29	19.5	276	20	7.2	1,030	77	7.5
Hampton	282	25	8.9	343	85	24.8	219	21	9.6	844	131	15.5
Norfolk	750	35	4.7	1,041	108	10.4	166	15	9.0	1,957	158	8.1
Peninsula	141	8	5.7	208	30	14.4	851	58	6.8	1,200	96	8.0
Portsmouth	222	19	8.6	337	94	27.9	15	1	6.7	574	114	19.9
Three Rivers	879	60	6.8	97	19	19.6	32	3	9.4	1,008	82	8.1
Virginia Beach	625	28	4.5	676	84	12.4	146	6	4.1	1,447	118	8.2
Western Tidewater	1,106	103	9.3	271	61	22.5	265	30	11.3	1,642	194	11.8
<b>Eastern Region</b>	<b>5,138</b>	<b>346</b>	<b>6.7</b>	<b>3,616</b>	<b>611</b>	<b>16.9</b>	<b>2,038</b>	<b>162</b>	<b>7.9</b>	<b>10,792</b>	<b>1,119</b>	<b>10.4</b>
<b>Virginia Total</b>	<b>24,175</b>	<b>1,232</b>	<b>5.1</b>	<b>10,772</b>	<b>1,585</b>	<b>14.7</b>	<b>9,515</b>	<b>644</b>	<b>6.8</b>	<b>44,462</b>	<b>3,461</b>	<b>7.8</b>


Table 31. Chlamydia Screening in Family Planning Clinics Among Females (Jan. - Jun. 2003)

<b>Age Group</b>	<b>White</b>			<b>Black</b>			<b>Hispanic</b>			<b>Other<sup>12</sup></b>			<b>Total</b>		
	No.	Pos.	% Pos.	No.	Pos.	% Pos.	No.	Pos.	% Pos.	No.	Pos.	% Pos.	No.	Pos.	% Pos.
0 - 9	10	1	10.0	7	0	0.0	5	0	0.0	1	0	0.0	23	1	4.3
10 - 14	192	10	5.2	145	16	11.0	13	2	15.4	28	4	14.3	378	32	8.5
15 - 19	4,065	196	4.8	2,055	356	17.3	278	17	6.1	356	36	10.1	6,754	605	9.0
20 - 24	4,127	139	3.4	2,243	217	9.7	981	20	2.0	374	14	3.7	7,725	390	5.0
25 - 29	2,104	27	1.3	1,163	75	6.4	1,071	23	2.1	244	4	1.6	4,582	129	2.8
30 - 34	1,022	11	1.1	687	19	2.8	323	4	1.2	115	2	1.7	2,147	36	1.7
35 - 39	593	5	0.8	543	3	0.6	125	2	1.6	81	0	0.0	1,342	10	0.7
40 - 44	345	3	0.9	314	3	1.0	42	0	0.0	36	0	0.0	737	6	0.8
45 - 49	115	1	0.9	91	0	0.0	15	0	0.0	12	0	0.0	233	1	0.4
50+	32	0	0.0	38	0	0.0	4	0	0.0	9	0	0.0	83	0	0.0
Not Reported	40	4	10.0	12	3	25.0	11	0	0.0	9	0	0.0	72	7	9.7
<b>Total</b>	<b>12,645</b>	<b>397</b>	<b>3.1</b>	<b>7,298</b>	<b>692</b>	<b>9.5</b>	<b>2,868</b>	<b>68</b>	<b>2.4</b>	<b>1,265</b>	<b>60</b>	<b>4.7</b>	<b>24,076</b>	<b>1,217</b>	<b>5.1</b>

**Figure W. Chlamydia Screening in FP Clinics - Females by Race**




**Figure X. Chlamydia Screening in FP Clinics - Females by Age Group**




**Table 32. Chlamydia Screening in STD Clinics Among Females (Jan. - Jun. 2003)**

<b>Age Group</b>	<b>White</b>			<b>Black</b>			<b>Hispanic</b>			<b>Other<sup>12</sup></b>			<b>Total</b>		
	No.	Pos.	% Pos.	No.	Pos.	% Pos.	No.	Pos.	% Pos.	No.	Pos.	% Pos.	No.	Pos.	% Pos.
0 - 9	3	0	0.0	6	1	16.7	1	0	0.0	1	0	0.0	11	1	9.1
10 - 14	31	8	25.8	45	12	26.7	6	1	16.7	3	0	0.0	85	21	24.7
15 - 19	639	76	11.9	999	234	23.4	50	6	12.0	107	31	29.0	1,795	347	19.3
20 - 24	769	75	9.8	1,494	209	14.0	125	7	5.6	102	14	13.7	2,490	305	12.2
25 - 29	290	16	5.5	640	64	10.0	107	8	7.5	53	6	11.3	1,090	94	8.6
30 - 34	173	11	6.4	376	19	5.1	60	2	3.3	26	3	11.5	635	35	5.5
35 - 39	114	0	0.0	321	10	3.1	38	1	2.6	16	1	6.3	489	12	2.5
40 - 44	109	0	0.0	211	5	2.4	21	0	0.0	5	0	0.0	346	5	1.4
45 - 49	56	3	5.4	112	3	2.7	4	0	0.0	7	0	0.0	179	6	3.4
50+	39	0	0.0	79	1	1.3	4	0	0.0	5	0	0.0	127	1	0.8
Not Reported	8	2	25.0	9	0	0.0	0	0	0.0	3	0	0.0	20	2	10.0
<b>Total</b>	<b>2,231</b>	<b>191</b>	<b>8.6</b>	<b>4,292</b>	<b>558</b>	<b>13.0</b>	<b>416</b>	<b>25</b>	<b>6.0</b>	<b>328</b>	<b>55</b>	<b>16.8</b>	<b>7,267</b>	<b>829</b>	<b>11.4</b>

**Figure Y. Chlamydia Screening in STD Clinics - Females by Race**



**Figure Z. Chlamydia Screening in STD Clinics - Females by Age Group**



## **TECHNICAL NOTES**

The Commonwealth of Virginia has required the reporting of individuals testing positive for antibodies to Human Immunodeficiency Virus (HIV) since July 1989 and of individuals diagnosed with Acquired Immunodeficiency Syndrome (AIDS) since 1983. Syphilis and gonorrhea have been reported since 1941, and chlamydial infections have been reported since 1989.

Each issue of this report includes information received and tabulated through the last day of the quarter. Data are tabulated using date of report by the Virginia Department of Health, Division of HIV/STD, unless otherwise noted.

1. HIV totals are cumulative from July 1989; AIDS totals are cumulative from 1982.
2. HIV age group tabulations are based on the person's age when the earliest positive HIV test was documented. AIDS age group tabulations are based on the person's age at diagnosis of AIDS. Adolescent/adult cases include persons 13 years of age and older; pediatric cases include children under 13 years of age.
3. "Men Having Sex with Men (MSM)" includes men who report sexual contact with other men and men who report sexual contact with both men and women.
4. "Heterosexual Contact" includes persons who report specific heterosexual contact with an HIV-infected person or with a person at increased risk for HIV infection (e.g., an injecting drug user). Previously, individuals born in "Pattern II" countries were presumed to have acquired HIV infection through heterosexual contact and were included in the "heterosexual contact" mode of transmission. For cases entered after January 1, 1993, being born in a Pattern II country is not considered a sufficiently documented risk for HIV transmission. [The term Pattern II was designated by the World Health Organization (MMWR 1988; 37:286-8, 293-5) to describe areas of sub-Saharan Africa and some Caribbean countries with a distinct transmission pattern in which most reported cases occurred in heterosexuals and the male-to-female ratio is approximately 1:1.]
5. "Transfusion Blood/Products" refers to transmitting of HIV via transfusing blood or blood products or transplanting tissue or organs before to March 1985. Cases reporting these modes of transmission after March, 1985 are recorded with this risk only after confirmatory investigations.
6. As of October 2001, "Multiple Heterosexual Contacts" has been redefined as HIV or AIDS cases having had sexual relations with ten or more lifetime heterosexual partners, or three or more heterosexual partners in the previous twelve months. Prior to October 2001, "Multiple Heterosexual Contacts" indicated HIV or AIDS cases having none of the other identified risk factors, but have had two or more heterosexual partners with undocumented risks.
7. "Undetermined/Unknown" includes HIV cases not counseled due to medical reasons or who refused counseling. Undetermined/Unknown also includes AIDS cases lost to surveillance follow-up and for which a risk could not be established.
8. It is possible for an adult/adolescent AIDS case to have a pediatric mode of transmission.
9. Due to small cell sizes, Asian/Pacific Islander and American Indian/Alaskan Native have been combined into "Other/Not Reported". Totals for these racial/ethnic categories may be found in Table 1.
10. Tables 23 - 28 summarize the number of HIV tests processed by the Division of Consolidated Laboratory Services (DCLS), the central state laboratory. Tests conducted by private laboratories are not included.
11. Incidence Rate per 100,000 is calculated by dividing the number of new cases reported by the population size during a defined length of time ( $I = \# \text{ of new cases} / (\% \text{ of 1 year} \times \text{population}) \times 100,000$ ).
12. Due to small cell sizes, Asian/Pacific Islander and American Indian/Alaskan Native have been combined in to "OTHER" to protect confidentiality.
13. In 2002, the Division of HIV/STD initiated geo-coding of HIV and STD morbidity to ensure assignment of morbidity to the correct localities. As a result, disease burdens for Health Districts in 2002 and 2003 may differ from prior years.

---

# Virginia Department of Health

---

## Division of HIV/STD Directory

---

**Casey W. Riley, Director**

### **Disease Reporting**

---

#### **HIV/AIDS case assistance**

Regional Consultants	Northern	Jonne Warner	(804) 864-7997
	Northwest/Southwest	Suzanne Willis	(804) 864-7998
	Central	Joan Chaplin	(804) 864-7999
	Eastern	Vacant	(804) 864-7996
Pediatric Coordinator	Statewide	Betsy Coleburn	(804) 864-8000
<b>STD Surveillance Coordinator</b>	Statewide	Vacant	(804) 864-7995

---

Facsimile.....	(804) 864-7983
Chlamydia Prevention Program .....	(804) 864-8030
Screening, treatment and education	
Community Services.....	(804) 864-7964
Information on prevention funding, education resources, community planning, training and programs	
Health Care Services .....	(804) 864-7965
Information on AIDS Drug Assistance Program, Ryan White programs and healthcare	
HIV Counseling, Testing and Partner Counseling and Referral Services.....	(804) 864-8029
Information on HIV testing services and publicly funded counseling and testing sites; guidelines for HIV counseling, testing and partner counseling and referral	
HIV/STD and Viral Hepatitis Hotline.....	(800) 533-4148
Brochures, information, literature, posters	
Media and Communications .....	(804) 864-7963
Public relations campaigns, special events and media inquiries	
Statistical Requests.....	(800) 533-4148
HIV/AIDS/STD statistical data	
Syphilis Elimination Project .....	(804) 864-8028
Screening, treatment and education	
Viral Hepatitis Prevention and Control Program .....	(804) 864-8022
Information on education resources, training and referrals	

---

**HIV/STD LITERATURE REQUEST FORM**  
**REVISED MAY 14 2003**

**DATE:** \_\_\_\_\_ **ALL NAMES MUST BE FULLY WRITTEN OUT NO ABBREVIATIONS** **PHONE:** \_\_\_\_\_  
**NAME: Agency, or Company NAME:** \_\_\_\_\_  
**STREET ADDRESS:** \_\_\_\_\_

**PLEASE NOTE: NO P O BOX      STREET ADDRESSES ONLY**

IF YOU HAVE QUESTIONS ON PAMPHLETS AND QUANTITY PLEASE CALL 1-800-533-4148

**PLEASE SPECIFY QUANTITY**

**VDH BROCHURES**

HD01 How to use a Condom  
 HD02 HIV Antibody Test  
 HD03 Sexually Transmitted Diseases  
 HD04 African-Americans: Take Steps To Protect Your Body  
 HD05 HIV FACTS-What are Your Risks?  
 HD06 Shooting Up and HIV/AIDS

HD07 Important Precautions for Tattoo & Body Piercing Staff  
 HD08 Universal Precautions  
 HD09 Dear Marriage License Applicants (For Circuit Courts)  
 HD10 ABC's of Day Care Attendance  
 HD11 Guidelines for School Attendance (**ONLY 1 copy**)  
 HD12 What About This Disease Called CHLAMYDIA

HD13 Virginia ADAP, Information for Providers  
 HD14 It's Your Body, Respect It! Protect It! (Condom Cover)  
 HD15 Information for Patients ADAP  
 HD16 Positive Living Manual and Tracker  
 HD17 Syphilis Cards (Five different cards N. VA **ONLY**)  
 HD18 Syphilis Cards (Five different cards)

**CHANNING BETE BROCHURES**

CB01 You, Your Baby and HIV  
 CB02 Abstinence-Saying "No" to Sex  
 CB03 Anyone Can Get AIDS

CB04 Hepatitis C-What you should know  
 CB05 HIV, Women Get It Too  
 CB06 Young People Get HIV

CB07 Genital Warts and HPVs-What you need to know  
 CB08 About Herpes  
 CB09 About Viral Hepatitis

CB11 About Pelvic Inflammatory Disease  
 CB12 About Vaginal Infections  
 CB13 Stay Free From Hepatitis B

**POSTERS**

VP01 Hook Up on the Internet (HIV/Syphilis)  
 VP02 "So You Think Chlamydia is a Flower?" (Adult)  
 VP03 "Infection Control" (Universal Precautions)  
 VP04 "So You Think Chlamydia is a Flower?" (Adult, Spanish)

VP05 "So You Think Chlamydia is a Flower?" (Teen, Spanish)  
 VPO6 Safer Sex (Lock & Chain)  
 VPO7 "Pssst-Pssst" (Pregnancy & HIV test)  
 VPO8 "So You Think Chlamydia is a Flower?" (Teen)

VP09 Deem Consent  
 VP10 Deem Consent (Spanish)

**NEW FOREIGN LANGUAGE BROCHURES**

**LIMITED COPIES AVAILABLE**

AMH1 Amharic HIV Antibody Test  
 AMH2 Amharic Sexually Transmitted Disease  
 ARA1 Arabic HIV Antibody Test  
 ARA2 Arabic Sexually Transmitted Disease  
 KOR1 Korean HIV Antibody Test  
 KOR2 Korean Sexually Transmitted Disease  
 RUS1 Russian HIV Antibody Test  
 RUS2 Russian Shooting Up and HIV  
 URD1 Urdu HIV Antibody Test  
 URD2 Urdu Sexually Transmitted Disease  
 VIE1 Vietnamese HIV Antibody Test  
 VIE2 Vietnamese Sexually Transmitted Disease

HS02 HIV Antibody Test  
 HS06 Shooting Up and HIV/AIDS  
 HS08 Universal Precautions (card)  
 HS12 What About This Disease Called CHLAMYDIA  
 HS14 It's Your Body, Respect It! Protect It! (Condom Cover)  
 HS15 Information for Patients ADAP  
 HS16 Positive Living Manual and Tracker  
 HS17 Syphilis Card (N. VA **ONLY**)

BS01 You, Your Baby and HIV  
 BS02 Abstinence-Saying "NO" to Sex  
 BS03 Anyone Can Get AIDS  
 BS04 Hepatitis C-What you should know  
 BS05 HIV, Women Get It Too  
 BS06 Young People Get AIDS  
 BS07 Genital Warts and HPVs-What You Need To Know  
 BS13 Stay Free From Hepatitis B  
 BS14 Sex is Safer with a Condom  
 BS15 SEX & STDs, How to Stay Safe

**Mail all requests to:**

Virginia Department of Health  
Division of HIV/STD, 3<sup>rd</sup> Floor  
P.O. Box 2448  
Richmond, VA 23218-2448  
FAX: (804) 864-7983

Virginia Department of Health  
Division of HIV/STD  
P.O. Box 2448  
Richmond, Virginia 23218

PRESORTED  
STANDARD  
US POSTAGE PAID  
RICHMOND VA  
PERMIT # 346

